

Data Literacy Fall 2025 Student Workbook - CODAP Edition



Workbook v0.9-beta

Brought to you by the Bootstrap team:

- Emmanuel Schanzer
- Kathi Fisler
- Shriram Krishnamurthi
- Dorai Sitaram
- Joe Politz
- Ben Lerner
- Nancy Pfenning
- Flannery Denny
- Rachel Tabak


Bootstrap is licensed under a Creative Commons 4.0 Unported License. Based on a work from www.BootstrapWorld.org. Permissions beyond the scope of this license may be available at contact@BootstrapWorld.org.

Table of Contents

Computing Needs All Voices	1
Introduction to Data Science	5
Exploring CODAP	8
Bar Charts and Dot Plots	12
The Data Cycle	20
Probability, Inference, and Sample Size	25
Choosing Your Dataset	28
Dot Plots	32
From Dot Plots to Histograms	38
Histograms: Visualizing "Shape"	42
Histograms: Interpreting "Shape"	44
Measures of Center	49
Introduction to Box Plots	55
Standard Deviation	61
Scatter Plots	65
Correlations	70
Linear Regression	77
Ethics, Privacy, and Bias	85
Data Collection	86
Introduction to Transformers: Filter	90
More Transformers: Transform Attribute and Build Attribute	94
Composing Transformers	96
Grouped Samples	99
Threats to Validity	102

Pioneers in Computing and Mathematics

The pioneers pictured below are featured in our Computing Needs All Voices lesson. To learn more about them and their contributions, visit <u>https://bit.ly/bootstrap-pioneers</u>.



We are in the process of expanding our collection of pioneers. If there's someone else whose work inspires you, please let us know at https://bit.ly/pioneer-suggestion.

Notice and Wonder

Write down what you Notice and Wonder from the <u>What Most Schools Don't Teach</u> video. "Notices" should be statements, not questions. What stood out to you? What do you remember? "Wonders" are questions.

What do you Notice?	What do you Wonder?

Windows and Mirrors

1) Think about the stories you've just encountered. Identify something(s) from the film and/or posters that served as a mirror for you, connecting you with your own identity and experience of the world. Write about who or what you connected with and why.

2) Identify something(s) from the film or the posters that served as a window for you, giving you insight into other people's experiences or expanding your thinking in some way.

Reflection: Try Thinking About Ketchup

This reflection is designed to follow reading LA Times Perspective: A solution to tech's lingering diversity problem? Try thinking about ketchup

1) Think of a time when someone else had a strategy or idea that you would never have thought of, but was interesting to you and/or pushed your thinking to a new level.

2) Think of a time when you had an idea that felt "out of the box". Did you share your idea? Why or why not?

3) The author argues that tech companies with diverse teams have an advantage. Why?

4) What suggestions did the article offer for tech companies looking to diversify their teams?

5) What is one thing of interest to you in the author's bio?

6) Based on your experience of exceptions to mainstream assumptions, propose another pair of questions that could be used in place of "Where do you keep your ketchup?" and "What would you reach for instead?"

Perspective: A solution to tech's lingering diversity problem? Try thinking about ketchup

By Dexter Thomas • Published March 16, 2016 6:24 PM PT in the Los Angeles Times

Diversity is a hot, and controversial, topic in Silicon Valley. But why do so many people care about it?

At first glance, the answer may seem simple: Improving minorities' access to tech jobs is the right thing to do.

But when I moderated a panel Monday at SXSW on diversity in the tech industry, I was surprised none of the panelists talked much about what was "right."

Instead, they talked about what was right for business.

Sarah Wagener, vice president of talent acquisition and diversity at Pandora, agreed during the panel that pushing to hire more diverse candidates is the "right thing" to do.

"But," she said, "it's been the 'right thing to do' for a long time, and we're still having this conversation." If you're trying to make the case at your company for diversifying your workforce, she said, your argument needs to be focused on "real business outcomes."

In other words, recruiting people from underrepresented backgrounds should be understood not as an obligation that could lower the bar and weigh your company down, but as an opportunity that could raise the bar, and lift your company above the competition.

Instantly, Wagener's statements reminded me of ketchup.

If you haven't heard it yet, the "ketchup question" is a thought experiment that's become something of a meme in some corners of the tech community thanks to a popular episode of the Reply All podcast. It starts as an innocent question:

Where do you keep your ketchup?

If you're like most people in the United States, odds are that you keep your ketchup in the refrigerator. But depending on where you grew up, you might keep it in the cupboard.

Imagine that you reach for the ketchup bottle and find it empty. You need a substitute sauce, and grab whatever is nearby. If that bottle is in the refrigerator, you may opt for mayo. But if it's in the cupboard, the seasoning closest at hand might be malt vinegar, or Tabasco, or salt and pepper.

Start-up culture is often centered around new ways of solving "problems" — ride-sharing apps such as Lyft and Uber solve the problem of getting around town without a car, for example. The "ketchup question" shows how a slight difference in perspective can lead a coworker toward a completely different solution that might never occur to you. That extra perspective could lead to a fresh new idea that could take your company to the top.

But without a diverse team? It's gonna be mayo every time.

What do we do about it?

Most people aren't chief executives of a major company, and may feel like they have no sway in the hiring process. So I asked two of the panelists to give some suggestions that could be useful for employees of all levels, regardless of the industry in which they work.

Karla Monterroso, vice president of programs at Code 2040, an organization that works to place black and Latino students in engineering internships at tech companies, said that job listings could be an unexpected barrier to attracting diverse talent. Using seemingly innocent words like "hacker" or "rockstar" in job listings could unintentionally give the impression to some women that the company would not be a hospitable place to work, said Monterroso. She recommended reading articles on the topic of bias and having

informal conversations with coworkers. More directly, she said, using these articles as "evidence" to suggest small changes in recruitment practices could be an easy first step in attracting new talent.

James Talbot, a software engineer at San Francisco web publishing startup Medium, was concerned with what happens after a new recruit is hired. He suggested using social media to follow people who have different perspectives than you, for 30 days. The key, he said, is to listen to what they have to say, simply exposing yourself to their conversations — not commenting or arguing with them.

This is important, he said, because even after a recruiter hires a person from an underrepresented community, adapting to the workplace environment can be another challenge. If people get into a job but have to deal with racist or sexist comments and insensitive treatment, they may simply leave – and take their unique perspectives and talent elsewhere.

People often say that the cause of the lack of diversity in many tech companies is the lack of an easy way to find available candidates.

"People always give excuses, saying the problem is the 'pipeline," Talbot said.

"But who wants to be on a pipeline into a sewer?"

Dexter Thomas is from San Bernardino and is a PhD candidate in East Asian studies at Cornell University. He has taught media studies and Japanese and is writing a book about Japanese hip-hop. Thomas began working in new media as a student director of programming at KUCR-FM (88.3), independently producing podcasts as well as music and news programs. He has written for several outlets internationally on topics as diverse as Internet and youth culture, social justice and video games. He left The Times in 2016.

Categorical and Quantitative Data in a Nutshell

Many important questions ("What's the best restaurant in town?", "Is this law good for citizens?", etc.) are answered with *data*. Data Scientists try to answer these questions by writing *programs that ask questions about data*.

Data of all types can be organized into Tables.

- Every Table has a header row and some number of data rows.
- Quantitative data is numeric and measures an amount, such as a person's height, a score on a test, distance, etc. A list of quantitative data can be ordered from smallest to largest.
- **Categorical data** is data that specifies *qualities*, such as sex, eye color, country of origin, etc. Categorical data is not subject to the laws of arithmetic for example, we cannot take the "average" of a list of colors.

Categorical or Quantitative?

- Quantitative data measures an *amount* and can be ordered from smallest to largest.
- Categorical data specifies qualities and is not subject to the laws of arithmetic for example, we cannot take the "average" of a list of colors. Note: Numbers can sometimes be categorical rather than quantitative!

For each piece of data below, circle whether it is Categorical or Quantitative .

1)	Hair color	categorical	quantitative
2)	Age	categorical	quantitative
3)	ZIP Code	categorical	quantitative
4)	Date	categorical	quantitative
5)	Height	categorical	quantitative
6)	Sex	categorical	quantitative
7)	Street Name	categorical	quantitative

For each question below, circle whether it will be answered by Categorical or Quantitative data.

8)	We'd like to find out the average price of cars in a lot.	categorical	quantitative
9)	We'd like to find out the most popular color for cars.	categorical	quantitative
10)	We'd like to find out which puppy is the youngest.	categorical	quantitative
11)	We'd like to find out which cats have been fixed.	categorical	quantitative
12)	We want to know which people have a ZIP code of 02907.	categorical	quantitative

★ We can sort the animals in ascending order (smallest-to-largest) by age and then sort the table in alphabetical order (A-to-Z) by name.

Does that mean name is a quantitative column? Why or why not?

Questions and Column Descriptions

1) Take some time to look through the Animals Dataset. What stands out to you? Which animals are interesting? What patterns do you notice? Put your observations in the **Notice** column below.

2) Do any of these observations make you wonder? If so, write your question next to the observation in the **Wonder** column. If not, think of another question to write down.

Notice	Wonder	Answered by this dataset?			
I notice that Kujo took a long time to be adopted	Is it because he was so big?	Yes No			
I notice that		Yes No			
I notice that		Yes No			
I notice that		Yes No			
I notice that		Yes No			
I notice that		Yes No			
I notice that		Yes No			
Describe the table, and two of the columns, by filling in the bl	anks below.				
1. This dataset is about					

a.	, which contains	data. Some example values are:
_	column name categorical or quantito	tive
_	<u> </u>	
b	, which contains	data. Some example values are:
	column name categorical or quantita	tive

Opening Questions

Sports

- Who is the best quarterback of all time?
- Are baseball pitchers throwing harder than ever?
- How much more do male soccer players earn than females?
- How common is it for former Olympic athletes to become coaches?
- How much does an extra inch of height help a basketball player?

Pop Culture

- What percentage of people have seen the movie that won last year's Best Picture Award?
- Who tends to be more popular: bands or solo singers?
- Are younger actors paid more than older actors?
- Are movies with female leads as profitable as movies with male leads?
- Does winning a Grammy increase sales?

Politics

- Is "Stop and Frisk" a racist policy?
- Do Republican politicians tend to come from different states than Democratic ones?
- Do people in countries that have universal healthcare live longer than people in countries that don't?
- Was press coverage slanted for or against a particular candidate?

Education

- Do small schools perform better than large ones?
- Which has a stronger correlation with student achievement: race or wealth?
- Do bilingual classes result in better outcomes for ESL/ELL students?
- How does quality of education differ in various regions of the United States?

What Questions Can You Answer with the Given Data?

The following is a dataset of a bicycle rider's training rides.

date	miles	time (w/stops)	weather	average speed	max speed
04/10/2018	10	44	"cloudy"	13	30
05/30/2018	15	66	"sunny"	13.5	22
06/12/2018	12	61	"rainy"	11.2	25
07/04/2018	24	103	"sunny"	14	26
07/12/2018	24	120	"windy"	12.5	26

1) Decide whether each questions below *can* or *cannot* be answered with the given data and circle your selection.

Question	Answered by thi	is dataset?
How many miles did the cyclist ride June 12th?	Yes	No
What tire pressure produces the highest average speed?	Yes	No
What is the average time it takes this cyclist to ride 1 mi?	Yes	No
Does this cyclist ride slower when it is snowing?	Yes	No
Does this cyclist ride faster when they are late to an appointment?	Yes	No
How many miles has the cyclist ridden in total as part of their training?	Yes	No

2) In the space provided below each question, explain *how* you could answer the question using the data or *why you cannot* answer the question.

 \star Are there any questions that you could find the answers to more than one way?

CODAP in a Nutshell

CODAP is a web-based data science tool that runs in your web browser.

Data Types

CODAP utilizes different data types, including Numbers, Strings, and Booleans.

- Numbers are values like 1, 0.4, 1/3, and -8261.003.
 - Numbers are usually used for quantitative data and other values are usually used as categorical data.
- Strings are values like "Emma", "Rosanna", "Jen and Ed", or even "08/28/1980".
 - All strings *must* be surrounded in quotation marks.

All values evaluate to themselves. The program 42 will evaluate to 42, and the String "Hello" will evaluate to "Hello".

Operators

Operators (like +, -, <, etc.) work the same way that they do in math.

• Operators are written between values, for example: 4 + 2.

Expressions

Expressions work the same way that they do in math. Numeric expressions can be evaluated .

• The following are all examples of expressions: sqrt(16), sqrt(Weight), m+5, and 9+17.

CODAP Exploration

This page will help you familiarize yourself with some of CODAP's features. Check off each item once you have completed it. Feel free to experiment and try things out! Make sure you're logged into the <u>Animals Starter File</u> in CODAP before beginning.

Tables in CODAP

1) A table of data is shown here, with the title at the top of the table. What is the title?

2) Move the table to a different location on the screen, then minimize the table (hints: Hovering your mouse over the title. What appears?).

3) Re-expand the minimized table, then add a row - also called a *case* - to the table. (Hint: Click any of the Index numbers in the left-most column. Look at the menu that appears.) Can you delete that same row? (Note: CODAP will not let you delete an *empty* case.)

4) Move the Age column so that it is between Fixed and Legs. Click on Age and choose "Sort Ascending $(A \rightarrow Z, 0 \rightarrow 9)$ " from the drop-down menu that appears.

5) Now try "Sort Descending". How many animals have names that begin with S?

6) Delete a column of the table. (Columns are sometimes called *attributes*.)

7) Use the "Undo" button in the upper right to get your column back. Do the keyboard shortcuts for Redo (Ctrl-Y on PC, Cmd-Opt-Z on

Mac) and Undo (Ctrl-Z on PC, Cmd-Z on Mac) work in CODAP?

8) Close the table. Get it back either by opening the drop-down menu that appears when you click on "Tables" in the upper left.

9) Create a new attribute. Is the column populated (filled in) or empty?

10) Name your new attribute. What name did you choose? $_$

Graphs in CODAP

11) Click on the "Graph" icon in the upper left-hand corner of the screen. Note: When you first make a graph, the points are randomly positioned!

12) How many dots appeared on the graph? (Hint: How many rows - or cases - are on the table?)

13) Click on a dot. What happens?

14) Can you figure out a way to make different information appear when you click on a dot? (Hint: You may need to move a column!)

15) Drag an attribute (like Weight, Name, or Sex) to one of the graph's axes - or use the drop-down menu that appears when you click on an axis. Can you make the graph show *two* attributes?

16) Double click on the background of your graph. What happens?

17) Click on the "Rescale" icon (it looks like four arrows pointing in four different directions) to zoom back out and display all data again.

18) Once a graph shows two attributes, can you change it back to a graph with one attribute?

19) Click and drag any attribute name from the top of any column in the dataset to the center of the graph. When the graph region turns

yellow, release the mouse. What happened?

Matching

Complete the matching activity below to review what you discovered about graphs and tables in CODAP.

In order to			I need to
delete a table column	20	А	click on an orange point
move a table	21	В	mouse over the title bar until a – button appears in the upper right-hand corner
minimize a table	22	С	select the attribute; from the drop-down menu that appears, select "Delete Attribute"
create a new table column	23	D	click the "Graph" icon in the upper left-hand corner of the screen
create a graph of randomly configured points	24	E	mouse over the title bar until the cursor turns into a hand
identify information about a specific point	25	F	make sure the table is selected, then click the grey plus sign

Strings

- For each of three sections below, refer <u>Animals Starter File</u>.
- In order to follow the directives, you must first create a new column that appears after you select the table.
- Next, click on the attribute name (newAttr) and select Edit Formula.
- In order to follow the directives below, you must type text into the "Edit Formula" box.

₹ A	nimals Da	taset - CC	DDAP	JNSAVED					
bles Gr	⊻ ∰ aph Map	Slider		xt Plug					
			Ar	imals-D	ataset-1.5	1			
				case:	s (32 case:	s)			🕀 . 🗳
in- dex	Name	Species	Sex	Age	Fixed	Legs	Pounds	Weeks	newAttr
1	Sasha	cat	female	1	FALSE	4	6.5	3	Rename
2	Snuffles	rabbit	female	3	TRUE	4	3.5	8	
3	Mittens	cat	female	2	TRUE	4	7.4	1	Fit width to content
4	Sunflow	cat	female	5	TRUE	4	8.1	6	Edit Attribute Properties
5	Felix	cat	male	16	TRUE	4	9.2	5	Edit Formula
6	Sheba	cat	female	7	TRUE	4	8.4	6	
7	Billie	snail	hermap	0.5	FALSE	0	0.1	3	Delete Formula (Keeping Values)
8	Snowco	cat	female	2	TRUE	4	6.5	5	Rerandomize
9	Wade	cat	male	1	FALSE	4	3.2	1	Cost Assessed in a (A Z O O)
10	Hercules	cat	male	3	FALSE	4	13.4	2	Sort Ascending $(A \rightarrow Z, 0 \rightarrow 9)$
11	Toggle	dog	female	3	TRUE	4	48	1	Sort Descending $(9 \rightarrow 0, Z \rightarrow A)$
12	Boo-boo	dog	male	11	TRUE	4	123	24	Hide Attribute
13	Fritz	dog	male	4	TRUE	4	92	3	Delete Attellette
14	Midnight	dog	female	5	FALSE	4	112	4	Delete Attribute
15	Dox	dog	malo	1	EALSE	6	28.9	9	

Attribute Name: test =								
Formula:	If desired, type a formula for computing values of this attribute							
Insert Value Insert Function								
	Cancel Apply							

Task 1: "Hello, my name is"

The shelter wants to put a name tag in front of each animal's cage so visitors can learn their names. One shelter employee suggests populating all the rows of an entire column with "Hello, my name is" to create enough tags for all of the animals. After printing the tags, shelter employees will write in each animal's name.

1) Click on newAttr.Select Edit Formula.Type Hello, my name is into the formula box that appears, then select Apply.What

error message appears in all the rows of this column?

2) Click new Attr again, then select Edit Formula. This time, type "Hello, my name is" (with quotation marks!) into the formula

box. What happens? _____

3) Try typing Hello, my name is with the opening quote, but without the closing quote, and select Apply. What do you think a "syntax

error" is?

4) A string is any value that is entered within .

Task 2: "Hello, my name is Sasha" ... "Hello, my name is Snuffles" ...

The employee who proposed this solution is happy with it... but you wonder: Wouldn't it be cool if CODAP could input each animal's unique name after "Hello, my name is"? Then, you wouldn't need to handwrite in all those animals' names.

5) Access the formula box again. Try typing in "Hello, my name is Name". Did you get the result you want?

6) This time, try typing the "Hello, my name is " + Name, being sure to leave + Name out of the string. What happens? _____

7) Do you get the same result if you use "Hello, my name is " + name? Does CODAP care about capitalization of attribute names?

8) Now you're feeling like you can create all kinds of nametags! Edit the formula box to create tags for all of the animals resembling this one: "Hello, my name is Felix. I am a 16 year old cat who weighs 9.2 pounds."

Numbers

Task 3: Playing with Pounds

As an employee of the shelter, you want each of these animals to be adopted! You wonder if visitors to the shelter might prefer to receive each animal's weight in kilograms, or maybe rounded to the nearest whole number.

1) But first... let's make sure we understand how numbers work in CODAP. Create a new column, then enter the specified information into the formula box. (You can delete what's in the formula box once you've observed the output.)

- Type 42 (no quotes). Click Apply.
- Type a fraction. Click Apply.
- Type a decimal. Click Apply.
- Type an integer. Click Apply.
- Enter some expressions that include operators, such as $5 \times (8 + 2)$. Click Apply.

Does anything surprise you about how numbers behave in CODAP? Does CODAP know the order of operations?

2) Create a new column. Name it Kilograms. Note that to convert pounds to kilograms, we divide by 2.205. What will you enter in the

formula box to populate this column with each animal's weight in kilograms?

3) Create another new column. Name it Rounded Kilograms. Here, you will use the function round, which returns the value of its input,

rounded. Enter round (Kilograms) in the formula box. What place value did round round to?

4) Enter	<pre>round(Kilograms,</pre>	1), then change it to	<pre>round(Kilograms,</pre>	2). What does the round function do with that second
optional	- argument?"			

5) Click on Kilograms. From the drop-down menu that appears, select Edit Attribute Properties. Try changing the precision. How

is changing precision different from rounding?

Task 4: You're the official CODAP expert at the shelter!

You've been so successful answering people's CODAP questions that now *everyone* is ocming to you for help! You decide to spend some time playing around with more of the available functions, so you can help anyone who asks.

6) Enter sqrt(16) into the Edit Formula box. How many arguments does sqrt expect?

7) What type of argument does the function sqrt expect?

8) What type of output does sqrt produce?

Number? String?

9) Put a check-mark next to expression below that will successfully populate a column. If you're not sure, try them out in Animals Starter File.

Number? String?

<pre>sqrt(Weight)</pre>	<pre>sqrt(Legs)</pre>	<pre>sqrt(Name)</pre>
-------------------------	-----------------------	-----------------------

10) Why will some of these expressions work and some generate errors?

Dot Plots and Bar Charts in a Nutshell

Displaying Categorical Variables

- With a table open in CODAP, select the "graph" icon to produce a scatter plot of randomly distributed data points.
- Drag attributes/columns to the axes (or select from a drop-down menu of attributes/columns by clicking the axes) to organize the data so that it is no longer randomly distributed.
- Once the data is organized, manipulate it further by selecting the graph menu icons:
 - the ruler icon provides options for calculating statistics such as mean, median, and standard deviation
 - for datasets with two variables, clicking the ruler icon will provide *additional* statistical computations (such as a least squares line or regression line)
 - the **bar graph icon** allows new configurations of the data. Select this option to group data points into bins or create a bar for each point. If the data is numeric, clicking on the bar graph icon a second time (for instance, after data is grouped into bins) allows the creation of a histogram (by fusing the dots into bars).

Exploring other Data Visualizations

Data Scientists use **data visualizations** to visualize information. You've probably seen some of these charts, graphs and plots yourselves! When it comes to visualizing **Categorical Data**, we often rely on **dot plots** and **bar charts**. (Pie charts display categorical data, too, but CODAP doesn't offer them largely because many find them <u>challenging to read</u>.)

When we want to create a data visualization in CODAP, it is important to consider the following: Which attributes on which axes? What type of data? What configuration?

Bar charts show the count or percentage of rows in each category.

- Bar charts provide a visual representation of the frequency of values in a categorical column.
- Bar charts have a bar for every category in a column.
- The more rows in a category, the taller the bar.
- Bars in a bar chart can be show in *any order*, without changing the meaning of the chart. However, bars are usually shown in some sensible order (bars for the number of orders for different t-shirt sizes might be presented in order of smallest to largest shirt).

Dot Plots and Bar Charts in CODAP

Open the <u>Animals Starter File</u>. First, create a graph of randomly generated points by selecting the Graph icon, and then respond to the following prompts.

Create Data Visualizations

1) Select the y-axis on your graph (where it says "Click here"). On the drop-down menu that appears, select Fixed. (If you prefer, you may also drag the attribute name from the table to the y-axis.) What do you notice?

2) Now select the x-axis on your graph and select Fixed. How does the graph change?

3) Select the configuration icon (which looks like a bar graph) to the right of the data visualization. Select Fuse Dots into Bars

4) Click the ruler icon to test count and percentage. What happens?

5) Now, make a bar chart showing how many animals there are of each species by changing the variable on the x-axis to species. How can reconfigure the bar chart as a dot plot?

Numeric vs. Categorical Data Visualizations

6) Create a graph with Weeks on the x-axis. What intervals do you see on the x-axis?

7) Now, click on Weeks so that a drop-down menu appears. From this drop-down menu, choose Treat as Categorical. How did the numbers on the x-axis change? (*Look closely*!)

8) Why do you think CODAP produced a graph with intervals on the x-axis that are not evenly spaced?

9) As you've discovered, CODAP can view Age as numeric or categorical. In which mode can we Fuse dots into bars? Which kind of data is used for bar graphs?

Introducing Data Visualizations for Subgroups

This page is designed to be used with the Expanded Animals Starter File.

Part A

1) How many tarantulas are male? ______ Hint: Sort the table by species! How many female? _____

2) Would you imagine that the distribution of male and female animals will be similar for every species at the shelter? Why or why not?

Part B

Sometimes we want to compare *sub-groups across groups*. In this example, we want to compare the distribution of sexes across each species. Fortunately, CODAP allows us to build a variety of visualizations where we specify both a group and a subgroup.

To create a stacked bar chart	To make a multi bar chart
 create a graph of randomly distributed points drag the group to an axis drag the sub-group to the center of the display from the Configuration menu, select "Fuse Dots into Bars" from the Configuration menu, select "Percent" as the scale. 	 create a graph of randomly distributed points drag the <i>sub-group</i> to an axis drag the <i>group</i> to the + in the upper left-hand corner of the graph from the Configuration menu, select "Fuse Dots into Bars" to the right of the graph, locate and click the "Rescale Display" button (it looks like four arrows pointing in different directions) until you can see all of the data.

3) Make a stacked bar chart showing the distribution of sexes across species in our shelter.

4) Make a multi bar chart showing the distribution of sexes across species in our shelter.

5) What do you notice?

6) What do you wonder?

7) Which display would be most efficient for answering the question: "What percentage of cats are female?" Why?

8) Which display would be most efficient for answering the question: "Are there more cats or dogs?" Why?

9) Write a question of your own that involves comparing subgroups across groups. $_$

Which display would be most efficient for answering your question?


_____Make the display.

10) Write a different question that would be more efficient to answer with the other kind of display.

Multi Bar & Stacked Bar Charts - Notice and Wonder

The visualizations on the left are called **multi bar charts**.

The visualizations on the right are called **stacked bar charts**.



What do you Notice?	What do you Wonder?

1) Is it possible that the same data was used for the multi bar charts as for the stacked bar charts? How do you know?

2) Write a question that it would be easiest to answer by looking at one of the multi bar charts.

3) Write a question that it would be easiest to answer by looking at one of the stacked bar charts.

Practice Plotting

Use the <u>Animals Starter File</u> to create the following visualizations in CODAP. First, fill in the blanks and check all boxes that apply. Next, predict and sketch what the display will look like. Then, create the visualization in CODAP. We've started the first one for you!

1) A histogram of the number of pounds that animals weigh.

Column / Attribute	Type of Data	Configuration
pounds [column used as x-axis] n/a [column used as y-axis]	✓ Numeric □ Categorical	 □ Points ✓ Fuse dots into bars □ Bar for each point ✓ Group into bins □ No need to make a selection

Sketch the chart below:	What do you think the data visualization tells us?

2) A dot plot showing the sex of animals from the shelter.

Column / Attribute	Type of Data	Configuration
	🖵 Numeric	Departs Department of the second seco
	🖵 Categorical	Fuse dots into bars
[column used as x-axis]		Bar for each point
		Group into bins
[column used as y-axis]		No need to make a selection

Sketch the chart below:	What do you think the visualization tells us?

Practice Plotting (2)

Use the <u>Animals Starter File</u> to create the following visualizations in CODAP. First, fill in the blanks and check all boxes that apply. Next, predict and sketch what the display will look like. Then, create the visualization in CODAP.

1) A bar chart showing the species of animals from the shelter.

Column / Attribute	Type of Data	Configuration
[column used as x-axis]	Numeric	Points
	Categorical	Fuse dots into bars
		Bar for each point
		Group into bins
[column used as y-axis]		\Box No need to make a selection

Sketch the chart below:	What do you think the visualization tells us?

2) A scatter-plot, using the animals name as the labels, age as the x-axis, and pounds as the y-axis, for all the animals from the shelter. Note: The Measure menu has lots of options! On this page, we've included the two options that create new visualizations.

Column / Attribute	Type of Data	Measure
[column used as x-axis] [column used as y-axis]	□ Numeric □ Categorical	 Box plot Least squares line No need to make a selection
[(optional) column used for labels]		

Sketch the chart below:	What do you think the data visualization tells us?

Practice Plotting (3)

Use the <u>Animals Starter File</u> to create the following visualizations in CODAP. First, fill in the blanks and check all boxes that apply. Then, predict and draw what you think the visualization will look like. Finally, create the visualization in CODAP.

1) A box plot, using Pounds as the x-axis, for all the animals from the shelter. Note: The Measure menu has lots of options! On this page, we've included the two options that create new visualizations.

Column / Attribute	Type of Data	Measure
[column used as x-axis]	□ Numeric □ Categorical	 Box plot Least squares line No need to make a selection
[column used as y-axis]		

Sketch the chart below:	What do you think the data visualization tells us?

2) (Challenge) A least squares line (also sometimes called a regression line), using the animals species as the labels, pounds as the x-axis, and weeks as the y-axis, for all the animals from the shelter.

Column / Attribute	Type of Data	Measure
[column used as x-axis]	□ Numeric □ Categorical	 Box plot Least squares line No need to make a selection
[column used as y-axis]		


Sketch the chart below:	What do you think the data visualization tells us?

Data Visualizations Organizer

Put a check mark to indicate whether each chart listed below displays data from 1 variable or 2 variables, and whether it displays data that is *categorical or numeric*. In the notes column, add any relevant reminders to yourself about when to use each kind of data visualization. You will want to revisit and add additional notes to this page as you learn more.

Display	How many variables? What type?	Notes (How do I create the visualization? What does it tell me?)
dot plot	How many variables? 1 2 What type? Numeric Categorical	
bar chart	How many variables? 1 2 What type? Numeric Categorical	
histogram	How many variables? 1 2 What type? Numeric Categorical	
scatter plot	How many variables? 1 2 What type? Numeric Categorical	
box plot	How many variables? 1 2 What type? Numeric Categorical	
least squares line	How many variables? 1 2 What type? Numeric Categorical	

Bar Chart - Notice and Wonder




What do you Notice?	What do you Wonder?

Matching Stacked and Multi Bar Charts

Match each stacked bar chart below to the multi bar chart that displays the same information.

20%

0%





20

10

0

Making Infographics Rubric


	□ Wow!	Getting There	Needs Improvement
Preparatory Work	The display or ratio statement formed a strong foundation for the rest of my infographic project.	The display or ratio statement needed revision in order to inspire a meaningful infographic (e.g., it was unclear or it was not interesting).	I did not create a display or ratio statement or what I produced was not conducive to creating a meaningful infographic.
Ratio statement: Impact	My ratio statement will really give those who read it something fascinating to contemplate!	My ratio statement is interesting but probably won't spark any deep conversations.	My ratio statement is dull and uninspired.
Images chosen: Accessibility	The imagery that I used when creating my infographic is inclusive. My images avoid stereotyping and help the viewer relate to and understand the topic.	The imagery that I used mostly avoids stereotyping. More inclusive imagery might help viewers connect with my topic better.	The imagery that I included reinforces stereotypes and might leave some viewers feeling disconnected from my message.
Infographic: Accuracy	The infographic is correctly drawn to scale (every element is in the same proportion).	There were some minor errors made in drawing the infographic to scale.	The infographic is not accurately scaled.
Infographic: Impact	The strategy that I chose (repeated images / bars on a grid / area model) makes sense for my ratio statement and has a strong impact.	The strategy that I chose makes sense but is not terribly impactful; another strategy might have been more effective at conveying my ratio statement.	The strategy that I chose did not make sense in this context nor did it have an impact.

Case Study: NASA Infographic

A day before the 1986 launch of the Challenger, a team of engineers urged NASA to postpone, arguing that launching in cold weather would be extremely dangerous. Parts called "O-rings", they said, were likely to crack in cold weather. A cracked O-ring could lead to a catastrophic explosion – and the death of every astronaut onboard.

Mission control asked the engineers to explain this risk with data.

To make their case, the engineers created an infographic that displayed outlines of 48 rockets, each representing a previous launch. Each rocket was labeled with the temperature at launch, with marks showing O-ring damage. These marks were explained in a legend, to help mission control understand what the damage was.



An infographic conveying O-ring damage in 48 rockets

Unfortunately, their infographic was very hard to read:

- Instead of sorting the rockets by *temperature* or *amount-of-damage* (the two variables the engineers claimed were related!), they were sorted by...the date they launched.
- The temperature at launch, which was the most important thing the engineers wanted mission control to see, was written *sideways*, in a tiny font that was difficult to read.
- The marks showing O-ring damage were hard to understand, and the legend that explained them was on a separate page!


The engineers created an infographic that failed to clearly explain the risk, and mission control made the decision to go ahead with the launch.

73 seconds into the flight, the rocket exploded over the coast of Florida, killing everyone onboard. The tragedy crippled NASA, which did not launch another rocket for nearly three years.

... The Challenger's explosion was, in the end, attributed to O-ring failure.

Which Silhouette Might Work?

Below are screenshot of the top google search results for 1) pilot transparent silhouette 2) pilot silhouette female 3) pilot silhouette African American.



1) Put an x on images that read as male only.

2) Put a diagonal line on images that read as female only.

3) Put a horizontal line (--) through the images that read as a white pilot.

4) Circle one silhouette from the remaining images that you think could possibly work as a generalized image of a pilot.


5) What do you Notice? What do you Wonder?

The Data Cycle in a Nutshell

Data Science is all about asking questions of data.

- Sometimes the answer is easy to compute.
- Sometimes the answer to a question is *already in the dataset* no computation needed.
- Sometimes the answer just sparks more questions!

Each question a Data Scientist asks adds a chapter to the story of their research. Even if a question is a "dead-end", it's valuable to share what the question was and what work you did to answer it!



1) We start by **Asking Questions** after reviewing and closely observing the data. These questions can come from initial wonderings, or as a result of previous data cycle. Most questions can be broken down into one of four categories:

- Lookup questions Answered by only reading the table, no further calculations are necessary! Once you find the value, you're done! Examples of lookup questions might be "How many legs does Felix have?" or "What species is Sheba?"
- Arithmetic questions Answered by doing calculations (comparing, averaging, totaling, etc.) with values from one single column. Examples of arithmetic questions might be "How much does the heaviest animal weigh?" or "What is the average age of animals from the shelter?"
- Statistical questions These are questions that both *expect some variability in the data* related to the question and *account for it in the answers*. Statistical questions often involve multiple steps to answer, and the answers aren't black and white. When we compare two statistics we are actually comparing two datasets. If we ask "are dogs heavier than cats?", we know that not every dog is heavier than every cat! We just want to know if it is *generally* true or *generally* false!
- Questions we can't answer We might wonder where the animal shelter is located, or what time of year the data was gathered! But the data in the table won't help us answer that question, so as Data Scientists we might need to do some research beyond the data. And if nothing turns up, we simply recognize that there are limits to what we can analyze.

2) Next, we **Consider Data**, by determining which parts of the dataset we need to answer our question. Sometimes we don't have the data we need, so we conduct a survey, observe and record data, or find another existing dataset. Since our data is contained in a table, it's useful to start by asking two questions:

- What rows do we care about? Is it all the animals? Just the lizards?
- What columns do we need? Are we examining the ages of the animals? Their weights?

3) Then, we Analyze the Data, by completing calculations, creating data visualizations, creating new tables, or filtering existing tables. The results of this step are calculations, patterns, and relationships.

• Are we making a pie chart? A bar chart? Something else?

4) Finally, we Interpret the Data, by answering our original question and summarizing the process we took and the results we found.

Sometimes the data cycle ends once we've interpreted the data... but often our interpretations lead to new questions... and the cycle begins again!

Which Question Type?

name	type1	hitpoint	attack	defense	speed
Bulbasaur	Grass	45	49	49	45
lvysaur	Grass	60	62	63	60
Venusaur	Grass	80	82	83	80
Mega Venusaur	Grass	80	100	123	80
Charmander	Fire	39	52	43	65
Charmeleon	Fire	58	64	58	80
Charizard	Fire	78	84	78	100
Mega Charizard X	Fire	78	130	111	100
Mega Charizard Y	Fire	78	104	78	100
Squirtle	Water	44	48	65	43
Wartortle	Water	59	63	80	58

Start by filling out **ONLY the "Question Type"** column of the table below.

Based on the Pokemon data above, decide whether each question is best described as:

- Lookup Answered by only reading the table, no further calculations are necessary!
- Arithmetic Answered by doing calculations (comparing, averaging, totalling, etc.) with values from one single column.
- Statistical Best asked with "in general" attached, because the answer isn't black and white. If we ask "are dogs heavier than cats?", we know that not every dog is heavier than every cat! We just want to know if it is *generally true* or *generally false* !

	Question	Question Type	Which Rows?	Which Column(s)?
1	What type is Charizard?			
2	Which Pokemon is the fastest?			
3	What is Wartortle's attack score?			
4	What is the mean defense score?			
5	What is a typical defense score?			
6	Is Ivysaur faster than Venusaur?			
7	Is speed related to attack score?			
8	What is the most common type?			
9	Does one type tend to be faster than others?			
10	Are hitpoints (hp) similar for all Pokemon in the table?			
11	How many Fire-type Pokemon have a speed of 78?			

Data Cycle: Consider Data

Part 1: For each question below, identify the type of question and fill in the Rows and Columns needed to answer the question.

Ask Questions	How old is Boo-boo? What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	

Ask Questions	Are there more cats than dogs in the shelter? What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	

Part 2: Think of 2 questions of your own and follow the same process for them.

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	

Data Cycle: Categorical Distributions (Animals)

Using the Expanded Animals Starter File, let's make a bar chart to see what we can learn about the distribution of fixed animals and what new questions it may lead us to.

Ask Questions	Are more animals fixed or unfixed? What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	All the rows	
	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) fixed What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data		
	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
	The chart shows that there are fixed animals unfixed animals unfixed animals unfixed animals	ed animals.
Interpret Data	Some new questions this raises include:	

Let's make a **stacked-bar-chart** to see if the ratio of fixed to unfixed animals differs by species.

Ask Questions	How does the ratio of fixed to unfixed animals differ by species? What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	The stacked bar chart shows that species have more / the same number of / fewer fixed anim unfixed animals. I also notice Some new questions this raises include:	als _as/than

Data Cycle: Categorical Distributions 2 (Animals)

Open the <u>Expanded Animals Starter File</u>. Explore the distribution of a categorical column using **pie-chart** or **bar-chart**.

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical			
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)				
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?				
Interpret Data	The chart shows that there is an even distribution of The chart shows that the most common is/are Inotice that Nonder How does the distribution ofdiffer by? Another question I have is				
Explore the distrib Ask Questions	ution of two categorical columns using stacked-bar-chart or multi-bar-chart . What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical			
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)				
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?				
Interpret Data	When we break the distribution ofdown by: variable I notice that I wonder Another question I have is				

Question Types: Animals

A subset of the whole Animals Dataset is shown in the table below.

name	species	sex	age	fixed	legs	pounds	weeks
Sasha	cat	female	1	false	4	6.5	3
Sunflower	cat	female	5	true	4	8.1	6
Felix	cat	male	16	true	4	9.2	5
Sheba	cat	female	7	true	4	8.4	6
Billie	snail	hermaphrodite	0.5	false	0	0.1	3
Snowcone	cat	female	2	true	4	6.5	5
Wade	cat	male	1	false	4	3.2	1
Hercules	cat	male	3	false	4	13.4	2
Toggle	dog	female	3	true	4	48	1

Using this table - or the full dataset - write three questions of each type below.

- Lookup Answered by only reading the table, no further calculations are necessary!
- Arithmetic Answered by doing calculations (comparing, averaging, totalling, etc.) with values from one single column.
- Statistical Best asked with "in general" attached, because the answer isn't black and white. If we ask "are dogs heavier than cats?", we know that not every dog is heavier than every cat! We just want to know if it is *generally true* or *generally false* !

	Туре	Question
1	Lookup	
2	Lookup	
3	Lookup	
4	Arithmetic	
5	Arithmetic	
6	Arithmetic	
7	Statistical	
8	Statistical	
9	Statistical	

Data Cycle: Analyzing with Count

For each question below, complete the first three steps of the Data Cycle. Once you know what display, measure, or table you'd like to make, create it in CODAP.

Ask Questions	How many of each species are at the shelter? What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	

Ask Questions	How many of each sex are at the shelter? What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	

For the final Data Cycle, develop your own question and complete the remaining steps.

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	

Snack Habits Rubric

	□ Wow!	Getting There	Needs Improvement
Data collection	I filled in the Google form each and every time I had a snack. If I was unable to complete the form at the time of the snack, I made a point of completing it as soon as possible. When I responded to the prompts, I gave accurate information (acquired by looking at the nutritional label). This snacking log perfectly accurately represents my snacking.	I filled in the Google form almost every time I had a snack. When I responded to the prompts, I tried my best to give accurate information, but sometimes I made guesses about the number of servings, calories per serving, etc. Overall, the accuracy of the data collected is decent, however.	I often forgot to fill in the Google form when I snacked. I had to go back and dig through my memories to make educated guesses about my snacking habits. The information recorded during the data collection phase is most likely not an accurate depiction of my snacking habits.
Part 1: Our Snacking Habits	I've reflected on the process of tracking my snacking habits, providing interesting details about what I learned. I have offered meaningful noticings and wonderings about our class' snacking habits. I shared a display that I found interesting.	My reflections on the process of tracking my snacking habits are brief and would benefit from additional detail. The observations I shared about our class' snacking habits were shallow. I shared a display, but it was not necessarily interesting.	My reflections on snack tracking and our class dataset are brief, confusing, or missing entirely.
Part 2: US Snacking Habits	I've included an interesting graph and/or statistic from a credible source to represent America's snacking habits. At the end of the slide deck, I've credited my sources. I have explained why the graph caught my attention and what it made me wonder.	I've included a graph and/or statistic to represent America's snacking habits, but the source is not entirely credible. My explanation of why I have chosen this graph is not compelling.	I have either forgotten to include a graph/statistic to represent America's snacking habits, or the graph/statistic that I chose is not appropriate for this project.
Part 3: My statistical question and its answer	I developed a compelling and interesting statistical question based on the data I collected. I clearly answered that question by presenting plots, tables, photos and thoughtful written analysis.	The statistical question I chose is not fully answered by the data presented. I have put in some effort to answer the question with plots, tables, photos and written analysis, but more detail is needed.	Either my statistical question is simple and straightforward, and answering it did not require much critical analysis by me, or my statistical question was not adequately answered by my graphics and written analysis.
Part 4: Conclusion & Sources	I truthfully and honestly answered all questions about the challenges of this project. I addressed in detail how the project's challenges might have affected the quality of my data. I've provided accurate source information.	My discussion of the challenges of this project was brief and lacking in detail. I only partially addressed how this project's challenges might have affected the quality of my data. I've provided some source information.	I did not offer enough thoughtful discussion on the challenges of collecting data. It is not clear to the reader that I understand how challenges I encountered could affect the quality of the data. My source information is missing or inaccurate.

Snack Habits Data

For our purposes, a snack is any food or beverage other than water that you consume between meals.

1) Below is a table of the prompts you will see in the google form you will be completing for each snack you consume over the next 5 days. What do you Notice? What do you Wonder?

2) Complete the table by defining each variable's data type (Number, String, Boolean, Image...).

Prompt	Variable Name	Data Type
Time you ate the Snack Format: The nearest hour on the 24-hour clock (e.g. 4am = 4, 4pm = 16)	time	
Date you ate the Snack Format: 09/23/24	date	
True or False: You ate this snack on a day you went to school?	is-school-day	
What's the name of the snack?	name	
Is your snack salty? sweet? Or neither?	salty-sweet	
How many servings did you eat?	servings	
How many calories per serving?	calories	
How many grams of total fat per serving?	fat	
How many milligrams of sodium per serving?	sodium	
How many grams of sugar per serving?	sugar	
How healthy do you think the snack is? (1- very unhealthy; 5- very healthy)	health-level	
In one word, describe why you are eating the snack.	why	
How much does this snack cost?	cost	
How many ingredients are in this snack?	ingredients	
Take a photo of your snack or beverage. (Your teacher may or may not have included this in the actual google form, but having some images of your snacks will probably be useful for your final project.)	snack-image	

Note: Most snacks come in packages with nutritional value labels that will help you to answer many of these questions. When eating a snack whose package does not include the nutritional value, a simple google search will return an image that looks just like those labels, e.g. "Nutritional Value of an Apple". Similarly, if you get a snack from the cupboard rather than the store, you can google for the price.

Snack Habits Check-In

Name:

1) How well have you done collecting data for this project? Circle one of the choices below and explain why you ranked it at that level. (5) Excellent (4) Very Well (3) Average (2) Below Average (1) Not as well as I wanted (0) Collected no data

2) If you are struggling with data collection, what changes are you going to make so that you can do a better job moving forward?

3) Have you faced any obstacles when it comes to data entry? What were they and how did you overcome them?

4) Do you have any tips for someone who is struggling to stay on top of data entry?

5) Has the process of collecting your own snack data influenced or altered your snacking habits at all? Explain.

6) Do you think it will affect the quality of data? What types of snacks might people not be entering?

Data Cycle: Distribution of Categorical Columns

Explore the distribution of categorical columns in your class' snacking data using **pie-chart**, **bar-chart**, **stacked-bar-chart** or **multi-bar-chart**.

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
	The chart shows that there is an even distribution of	
Interpret Data	The chart shows that the most commonis/are variable I notice that I wonder	
	How does the distribution of differ by? variable?	

Explore the distribution of categorical columns in your class' snacking data using **pie-chart**, **bar-chart**, **stacked-bar-chart** or **multi-bar-chart**.

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	When we break the distribution ofdown by: variable: I notice that I wonderAnother question I have is	

U.S. Snack Habits

1) Choose one statistic (or the title of a display) you found about US snacking habits:				
2) What is the source?				
3) What information is available re: the data collection process? (For example: year of data collection, sample size, how the sample was				
selected, reason for data collection, etc.) You may need to do some digging.				
4) Based on the above information, what makes you think this data is credible?				
5) What are some similarities between our class snacking habits and the US snacking habits data you found?				
6) What are some differences between our class snacking habits and the US snacking habits data you found?				
7) Do you have any guesses about why the data are similar / different in the ways that you have identified?				
8) Does anything you turned up in your research surprise you?				

Probability, Inference, and Sample Size in a Nutshell

How can you tell if a coin is fair, or designed to cheat you? Statisticians know that a fair coin should turn up "heads" about as often as "tails", so they begin with the **null hypothesis:** they assume the coin is fair, and start flipping it over and over to record the results.

A coin that comes up "heads" three times in a row could still be fair! The odds are 1-in-8, so it's totally possible that the null hypothesis is still true. But what if it comes up "heads" five times in a row? Ten times in a row?

Eventually, the chances of the coin being fair get smaller and smaller, and a Data Scientist can say "this coin is a cheat! The chances of it being fair are one in a million!"

By sampling the flips of a coin, we can infer whether the coin itself is fair or not.

Using information from a sample to draw conclusions about the larger population from which the sample was taken is called **Inference** and it plays a major role in Data Science and Statistics! For example:

- If we survey pet owners about whether they prefer cats or dogs, the **null hypothesis** is that the odds of someone preferring dogs are about the same as them preferring cats. And if the first three people we ask vote for dogs (a 1-in-8 chance), the null hypothesis could still be true! But after five people? Ten?
- If we're looking for gender bias in hiring, we might start with the null hypothesis that no such bias exists. If the first three people hired are all men, that doesn't necessarily mean there's a bias! But if 30 out of 35 hires are male, this is evidence that undermines the null hypothesis and suggests a real problem.
- If we poll voters for the next election, the **null hypothesis** is that the odds of voting for one candidate are the same as voting for the other. But if 80 out of 100 people say they'll vote for the same candidate, we might reject the null hypothesis and infer that the population as a whole is biased towards that candidate!

Sample size matters! The more bias there is, the smaller the sample we need to detect it. Major biases might need only a small sample, but subtle ones might need a huge sample to be found. However, choosing a **good sample** can be tricky!

Random Samples are a subset of a population in which each member of the subset has an equal chance of being chosen. A random sample is intended to be a representative subset of the population. The larger the random sample, the more closely it will represent the population and the better our inferences about the population will tend to be.

Grouped Samples are a subset of a population in which each member of the subset was chosen for a specific reason. For example, we might want to look at the difference in trends between two groups ("Is the age of a dog a bigger factor in adoption time v. the age of a cat?"). This would require making grouped samples of *just the dogs* and *just the cats*.

Finding the Trick Coin

Open the Fair Coins Starter File, which defines coin1, coin2, and coin3. Click "Run".

You can flip each coin by evaluating flip(coin1) in the Interactions Area (repeat for coins 2 and 3).

One of these coins is fair, one will land on "heads" 75% of the time, and one will land on "heads" 90% of the time. *Which one is which?*

1) Complete the table below by recording the results for five flips of each coin and *totalling* the number of "heads" you saw. Convert the ratio of heads to flips into a *percentage*. Finally, decide whether or not you think each coin is *fair* based on your sample.

Sample	coi	in1	coi	in2	со	in3
1	Н	Т	Н	Т	Н	Т
2	Н	Т	Н	Т	Н	Т
3	Н	Т	Н	Т	Н	Т
4	Н	Т	Н	Т	Н	Т
5	Н	Т	Н	Т	Н	Т
#heads		/5		/5		/5
% heads		%		%		%
fair?	Y	N	Y	Ν	Y	Ν

2) Record 15 more flips of each coin in the table below and *total* the number of "heads" you saw *in all 20 flips of each coin*. Convert the ratio of total heads to total flips into a *percentage*. Finally, decide whether you think each coin is fair based on this larger sample.

Sample	coi	in1	coi	in2	со	in3
6	Н	Т	Н	Т	Н	Т
7	Н	Т	Н	Т	Н	Т
8	Н	Т	Н	Т	Н	Т
9	Н	Т	Н	Т	Н	Т
10	Н	Т	Н	Т	Н	Т
11	Н	Т	Н	Т	Н	Т
12	Н	Т	Н	Т	Н	Т
13	Н	Т	Н	Т	Н	Т
14	Н	Т	Н	Т	Н	Т
15	Н	Т	Н	Т	Н	Т
16	Н	Т	Н	Т	Н	Т
17	Н	Т	Н	Т	Н	Т
18	Н	Т	Н	Т	Н	Т
19	Н	Т	Н	Т	Н	Т
20	Н	Т	Н	Т	Н	Т
#heads		/20		/20		/20
% heads		%		%		%
fair?	Y	Ν	Y	Ν	Y	Ν

3) Which coin was the easiest to identify? fair? 75%? 90%?

4) Why was that coin the easiest to identify?

Sampling and Inference

1) In the screenshots of the "Sampler" (below), show how you would create a small random sample of 10 animals and a large random sample of 40 animals. To create two separate tables (rather than a single hierarchical table), re-select and re-open "Sampler" from the Plugins menu before each sampling simulation.

v0.7 (#0039) Sampler	v0.7 (#0039) Sampler
Sampler Options About	Sampler Options About
START STOPMedium	START STOPMedium
Select items	Select items
Collect samples	Collect samples
Animals Dataset - Full Population (v1.5.1) - p	Animals Dataset - Full Population (v1.5.1) - p CLEAR DATA
Mixer Spinner Collector	Mixer Spinner Collector

2) In the options tab, did you select "with replacement" or "without replacement"? Why?

3) Make a bar chart for the animals in each sample, showing percentages of fixed and unfixed.

- The percentage of fixed animals in the entire population is: <u>47.7%</u>
- The percentage of fixed animals in the small sample is:
- The percentage of fixed animals in the large sample is:

4) Make a bar chart for the animals in each sample, showing percentages for each species.

- The percentage of tarantulas in the entire population is: roughly 5%
- The percentage of tarantulas in the small sample is:

5) Direct the sampler to generate a different set of random samples of these sizes. Make a new bar chart for each sample, showing percentages for each species.

- The percentage of tarantulas in the entire population is: roughly 5%
- The percentage of tarantulas in the small sample is:
- The percentage of tarantulas in the large sample is:

6) Which repeated sample gave us a more accurate inference about the whole population? Why?

Predictions from Samples

1) Use the Sampler plugin to create the following tables and give them the specified names. (Re-open Sampler *before* creating each table to avoid getting one massive hierarchical table!)

- 10 animals randomly selected without replacement ⇒ tiny-sample
- 20 animals randomly selected without replacement ⇒ small-sample
- 40 animals randomly selected without replacement ⇒ medium-sample
- 80 animals randomly selected without replacement $\Rightarrow large-sample$

2) Make a bar chart of the species in the tiny-sample.

- What animals are in the sample?
- Create a new, random, tiny-sample, and use it to make a bar-chart. What animals are in the sample?
- Make another tiny sample and bar chart of species. Based on these samples, how many species do you think are at the shelter?
- Which species do you think there are the most of at the shelter?

3) What did you learn from taking multiple samples that you wouldn't have known if you'd only taken a single sample?

4) Now use small-sample to make a bar chart of the species.

- What animals are in the sample? _____
- Create a new random sample and make another bar chart of species in the small sample. What animals are in the sample?

5) Now that you've seen the small sample, how has your sense of the distribution of the species changed?

6) Now use the medium sample to make a bar chart of the species. If there are about 400 animals at the shelter, how many of each species would you predict there to be?

7) Now use the large to make a bar chart of the species. If there's anything you'd like to change about your prediction now that you've seen the large sample, record it here.

8) Let's see how accurate your prediction is... When you're ready, make a bar chart of Animals Table 2.

Which predictions were closest?

- Which predictions were off?
- Were there any surprises?______

9) In the real world, we usually don't have access to a whole dataset to check predictions against! How could we test...

- Every giraffe on the planet?
- Everyone who has ever come in contact with a covid-positive person?
- Every person who identifies as queer?

What strategies can we use to make sure that predictions from samples are as close to accurate as possible?

Choosing Your Dataset in a Nutshell

When selecting a dataset to explore, *pick something that matters to you*! You'll be working with this data for a while, so you don't want to pick something at random just to get it done.

When choosing a dataset, it's a good idea to consider a few factors:

1. Is it interesting?

Pick a dataset you're genuinely interested in, so that you can explore questions that fascinate you!

2. Is it relevant?

Pick a dataset that deals with something personally relevant to you and your community! Does this data impact you in any way? Are there questions you have about the dataset that mean something to you or someone you know?

3. Is it familiar?

Pick a dataset you know about, so you can use your expertise to deepen your analysis! You wouldn't be able to make samples of the Animals Dataset properly if you didn't know that some animals are much bigger or longer-lived than others.

Consider and Analyze

Fill in the tables below by considering the rows and columns you need. If time allows, type your code into CODAP to see your display!

1) A dot plot showing the species of animals from the shelter.

Which Rows?	Which Column(s)?	What will you Create?
All the animals		

2) A bar-chart showing the sex of animals from the shelter.

Which Rows?	Which Column(s)?	What will you Create?
All the animals		

3) A histogram of the number of pounds that animals weigh.

Which Rows?	Which Column(s)?	What will you Create?
All the animals		

4) A box-plot of the number of pounds that animals weigh.

Which Rows?	Which Column(s)?	What will you Create?
All the animals		

5) A scatter-plot, using the animals' species as the labels, age as the x-axis, and pounds as the y-axis.

Which Rows?	Which Column(s)?	What will you Create?
All the animals		

6) A scatter-plot, using the animals' name as the labels, pounds as the x-axis, and weeks as the y-axis.

Which Rows?	Which Column(s)?	What will you Create?
All the animals		

My Dataset

The	_dataset contains	_data rows.
1) I'm interested in this data because		
2) My friends, family or neighbors would be interested because		
3) Someone else should care about this data because		

4) In the table below, write down what you Notice and Wonder about this dataset.

What do you Notice?	What do you Wonder?	Question
		Lookup Arithmetic Statistical Can't Answer

5) Consider each Wonder you wrote above and Circle what type of question it is.

Choose two columns to describe below.

6)	column name	, which contains _	categorical/quantitative	data. Example values from this column include:
7)	column name	, which contains _	categorical/quantitative	data. Example values from this column include:

Data Cycle: Categorical Data

Use the Data Cycle to explore the distribution of one or more categorical columns using **pie-charts and bar-charts**, and record your findings.

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	What did you find out? What can you infer?	
	What - if any - new question(s) does this raise?	

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	What did you find out? What can you infer?	
	What - if any - new question(s) does this raise?	

Datasets and Starter Files

Click through the datasets below. (Your teacher might also ask you to work with Global Food Supply [<u>Starter File</u>].) When you find one you'd like to use in Pyret, (1) click the "Starter File" link to open it in a new tab and (2) select "Save a copy" from the "File" menu.

 \star Looking for a shorter list? We've starred a few good beginner datasets.

The Environment & Health	
Global Waste by Country 2019	<u>Dataset</u>
World Cities' Proximity to the Ocean	<u>Dataset</u>
Earthquakes	<u>Dataset</u>
Air Quality, Pollution Sources & Health in the U.S.	Dataset
Health by U.S. County	<u>Dataset</u>
COVID in the U.S. by County	Dataset
Arctic Sea Ice	<u>Dataset</u>

Politics

Countries of the World	Dataset
Gerrymandering	Dataset
Marijuana Laws & Arrests by State 2018	Dataset
LAPD Arrests 2010-2019	Dataset
NYPD Stop, Search & Frisk 2019	Dataset
Refugees 2018	Dataset
State Demographics	Dataset
U.S. Income	Dataset
U.S. Jobs	Dataset
U.S. Voter Turnout 2016	Dataset

Sports

Esports Earnings	Dataset
MLB Hitting Stats	Dataset
NBA Players	Dataset
NFL Passing	Dataset
NFL Rushing	Dataset

Entertainment

★Movies	<u>Dataset</u>
IGN video game Reviews	<u>Dataset</u>
International Exhibition of Modern Art	Dataset
North American Pipe Organs	<u>Dataset</u>
Pokemon	Dataset
Music	Dataset

Education

College Majors

U.S. Colleges 2019-2020	<u>Dataset</u>
★R.I. Schools	Dataset
Evolution of College Admissions in California	Dataset
Nutrition	
Soda, Coffee & Other Drinks	Dataset
Fast Food Nutrition	Dataset

Would you like to contribute a dataset of your own, or is there something you'd like to change about one of ours?

R
u
0
ric
<u>.</u>
X
xpl
Ō
2
atior
Q
Ę
ř
<u>.</u>
ject
¥
(
\sim

About this Dataset

D Wow!		Getting There	[here	Needs Improvement
I explained why thi and why others sho dataset was collect correctly identified	I explained why this dataset is interesting to me, others like me, and why others should care about it. I considered why the dataset was collected, and what purpose it might serve. I correctly identified all rows, columns, and types in my dataset.	I explained why this one other person/gr came from. I correct types in my dataset.	I explained why this dataset was interesting to me and at least one other person/group, and shared <i>something</i> about where it came from. I correctly identified most of the rows, columns, and types in my dataset.	I explained why this dataset was interesting to me, and shared <i>something</i> about where it came from. I correctly identified some rows, columns, and types in my dataset.
Criteria for Visualizations	rations			-
□ Wow!			Getting There	Needs Improvement
I either included m data didn't allow for described how I may visualizations and added the question	I either included multiple visualizations of this type or wrote about why I my data didn't allow for multiple. I indicated which column(s) I used and described how I made it. I made a strong attempt to interpret the interesting visualizations and report about the visualizations that weren't useful. I added the questions that emerged to the "My Questions" section.	out why I my and le interesting lseful. I seful. I	I included one display of this type. I provided the column name and a description of how I made it. My interpretation lacked detail. I added the questions that emerged to the "My Questions" section.	I included one or no visualizations of this type. My slides may be missing a correct column name or description of how I made the display. My data interpretation may be missing or inaccurate. I may not have added to the "My Questions" section
Visualizations	Rating	Teacher Feedback	*	
Bar Chart	 Wow Getting There Needs Improvement 			
Pie Chart	 Wow Getting There Needs Improvement 			
Dot Plot	 Wow Getting There Needs Improvement 			
Histogram	 Wow Getting There Needs Improvement 			
Box Plot	 Wow Getting There Needs Improvement 			

Rubric: Exploration Project (2)

Measures of Center

□ Wow!	Getting There	Needs Improvement
I selected at least two columns in my dataset, and correctly filled out the entire summary table for each one (or wrote about why my data didn't allow for this). Based on these measures, I decided which measure of center was best for each column, and I provided a detailed interpretation of what these measures tell me about the dataset.	I selected at least two columns in my dataset (or wrote about why my data didn't allow for this), and correctly filled out the entire summary table for each one. I tried to interpret what these measures tell me about the dataset, but my interpretation lacked detail.	I filled out most of the table but didn't demonstrate understanding of what these measures tell about the dataset.
Correlation and Linear Regression		
□ Wow!	Getting There	Needs Improvement
I either included multiple scatter plots or wrote about why my data didn't allow for multiple. I described my observations, including identifying outliers and patterns that could point to possible correlations. If the scatter plot didn't reveal any patterns or outliers,	I included at least one scatter plot with cursory descriptions and observations. I included a slide of a linear regression plot showing a correlation or described why I didn't include any linear regression	I added at least one slide about a scatter plot. The description and/or display may be lacking. I may have left out the linear regression, included one that didn't reveal a correlation, or offered an incorrect

interpretation of it.

plots.

I wrote about that. When the corresponding linear regression plot(s) showed a correlation, I included an additional slide and a

(houghtful inte My Questions


thoughtful interpretation.

	Getting There	Needs Improvement
I had lots of questions by the end of the exploration, and I chose at least two that I thought were most interesting. I explained why I thought they were interesting, and wrote about grouped samples that might be good to explore when answering those questions.	I had a few questions by the end of the exploration, and I chose at least one that was interesting. I wrote about grouped samples that might be good to explore.	I picked a question, and wrote about grouped samples.

Additional Teacher Feedback

Dot Plots: Distribution, Typicality, Variability in a Nutshell

A dot plot (below) is a data visualization consisting of data points plotted along a number line.



On the dot plot (above), each data point represents one student in a sample.

The position of the data point indicates how many minutes it takes for that student to get ready for school. We see, for example, that there is only one students who gets ready in 10 minutes and there are 8 students who take 15 minutes to get ready.

Distribution of Data. To describe the distribution of data—the way that it is spread out on a number line—it is helpful to locate any outliers, clusters, peaks, and gaps.

- A cluster is a group of data points that are close together. Most of the data in the dot plot above is clustered from 10-60, meaning that most students spend between 10 minutes and an hour getting ready for school in the morning.
- A gap is an interval where there are no data points. On the dot plot above, there is a gap from 60 to 90. In this sample, no one takes between 60 and 90 minutes to get ready.
- An **outlier** occurs when one data point is much larger or smaller than the other data points. There is an outlier on the above dot plot at 90. One student requires much more time to get ready in the morning.
- A peak is the value(s) with the most data. In this sample, 45 minutes is the most common amount of time spent getting ready for school.

Typicality of Data

- Typicality in a dataset is what we expect from a dataset. We can estimate typicality by looking for peaks and clusters in a dataset.
- In looking at the dot plot above, we might estimate that students typically spend 40 or 45 minutes getting ready for school.


Variability of Data

- Variability is how different or alike the data points are. In a quantitative dataset we can measure and describe the variability using range, interquartile range, and standard deviation.
- Statistical questions are questions that anticipate variability.
- "In general, how tall are the students in your class?" does anticipate variability.
- "How many inches are in a foot?" does not anticipate variability. The answer is always 12.

Interpreting Dot Plots

Reading a Dot Plot (Group A)

The dot plot below is a name length data visualization created by a group of 25 students (Group A).



1) What is the difference (in letters) between the longest and shortest name?

2) What is the most common name length? _____

3) What fraction of students have first names that are 5 letters long?

Interpreting Peaks, Clusters, Gaps, and Outliers

4) The distribution of the data is the way that it is spread out on the number line. One way to describe distribution is by identifying peaks, clusters, gaps, and outliers. As a class, label any peaks, clusters, gaps, or outliers on the dot plot **above**.

5) Let's think about what those peaks, clusters, gaps and outliers tell us about the dataset. In the dot plot above:

- the peak indicates that letters is the most common name length
- the cluster indicates that many students' names are letters
- the gaps tell us that, in this sample, no students have names that are ______ letters or ______ letters
- the outlier is letters, telling us that longer names are uncommon in this sample.

Reading a Dot Plot (Group B)



6) Label the peaks, clusters, gaps, and outliers of this new dot plot representing the name lengths of a different group of 25 students (Group B).

7) What do the peaks, clusters, gaps, and outliers tell you about the dataset?

Typicality of Name Length Data

8) What do you think is a typical value in Group A? _____ (There is more than one correct response.) Explain your reasoning. _____

9) Identify another value someone else might claim is typical of Group A. _____ Why would they choose that value? _____

10) Would 6 letters be a good description of the typical number of letters in students' names for Group B?_____ Explain.

Our Class' Name Length Data

Create a Dot Plot: Length of First Names in My Class

1) Your class just created a communal dot plot. Copy all of its dots onto the number line below.

1 1 1 1 1 1 1 1 1 1
Reading a Dot Plot
2) What is the difference (in letters) between the longest name and the shortest name?
3) What is/are the most common name length(s)?
4) What fraction of students have first names that are 5 letters long?
Peaks, Clusters, Gaps, and Outliers in Name Length Data
5) Label any peaks, clusters, gaps, and outliers on the class dot plot (above).
6) Describe what you can conclude about students' name lengths in your class, based on those peaks, clusters, gaps, and outliers.
Typicality of Name Length Data
7) What is one possible typical value for class name length? Explain
8) Give another possible typical value: Explain why it is appropriate
Compare
9) Compare and contrast your class dataset with either Group A or Group B from <u>Interpreting Dot Plots</u> . Give at least one way that the
distributions are alike, and at least one way that they are different.

Two Ways of Thinking about Variability


Variability of Categorical Data	
Sana's Groceries	Juliette's Groceries
12 apples and 1 banana	4 peaches, 4 kiwis, 4 oranges, and 1 lime
1) Which dataset has greater variability - Sana's groceries or Juliette's gro	oceries? Explain
 2) You ask a group of sixth grade students to respond to two different stat Statement A: <i>I am in sixth grade.</i> Statement B: <i>I am wearing blue today.</i> 	tements with either "true" or "false."
Which statement do you predict will produce greater variability? Explain.	
Variability of Quantitative Data	
3) Someone looks at your class roster and says, <i>"In general, students in our o</i> Do you agree or disagree? Explain your reasoning.	
4) Which dataset do you predict will have greater variability for a group of Wednesday or Saturday? Explain.	
 5) Below are the students' responses for their wake-up times on Wednesd Wednesday: 6:30, 6:15, 6, 6:45, 6:30, 5:45, 6:45, 6:30, 6:30, 6:15 Saturday: 7:00, 8:00, 8:30, 6:30, 9:45, 10:30, 6:00, 5:45, 10:15, 9:30 	day versus Saturday. Was your prediction correct? Explain.
Designing Datasets with High and Low Variability	

6) Make up two categorical datasets with 5 items, each.

	Dataset with Low Variability	Dataset with High Variability
7) Mak	e up two quantitative datasets with ten quantities, each.	
	Dataset with Low Variability	Dataset with High Variability



The person who created the dot plots below forgot to label them. For each row, decide which description matches which dot plot. Then explain your choice.



Variability of Animals' Weights

		se four species. Rank the anima	-	htest (1) to heaviest (4 tarantula:		
	rabbit:	cat: greatest variability in weight:	dog	rabbit	cat	tarantul
		least variability in weight:	dog	rabbit	cat	tarantula
1 2 3	4 5	6 0.0 0.1 0.2	0.3	0.4 0	50 100	150
pecies:		species:		species:		
	your decisions.					
Explain how you made	,					

Test Your Predictions Using Pyret

6) Using the <u>Dogs, Rabbits, Cats & Tarantulas Starter File</u>, build a dot plot for each species. In your code, use the tables defined on lines 22-25. Use information from your dot plots to fill in the cells. You can hover your mouse over specific points on the dot plot for additional information on an individual animal. Some cells have been completed for you.


	dogs	cats	rabbits	tarantula
Range/variability	3-172 lbs			
Gaps	123-161 lbs		No significant gaps	No significant gaps
Outliers	Kujo (172 lbs) Mr. PB (161 lbs)		No significant outliers	No significant outliers
Peak(s)	72 pounds			

7) Purchasing dog food would be easier if every dog ate roughly the *same amount of food*! But is that true for dogs? What about rabbits, or *any* of the four species in the <u>Dogs, Rabbits, Cats & Tarantulas Starter File</u>? Can you make any recommendations about quantity of food to

purchase?

Comparing Dot Plots and Histograms

The displays below both show the distribution of weeks that animals spend at the shelter.



1) What do you Notice about the dot plot (left) and the histogram (right)? What do you Wonder?

Dot Plots versus Histograms

Answer the questions below using only the dot plot, and then only the histogram. If you cannot answer a question precisely, write "X".


Question	Dot Plot	Histogram
2) How many animals were in the shelter for fewer than 10 weeks?		
3) How many animals were in the shelter for exactly 30 weeks?		
4) What is the longest amount of time that an animal stayed in the shelter?		
5) How many animals were in the shelter for at least 5 weeks but not more than 25?		
6) Are there any gaps in the data?		
7) Are there any peaks in the data?		

Reflect

8) When you answered the questions using the dot plot :	10) When might a histogram be more useful than a dot plot?
i. Which questions were easy to answer?	
ii. Which questions were hard to answer?	
iii. Which questions were impossible to answer?	
9) When you answered the questions using the histogram :	11) When might a dot plot be more useful than a histogram?
i. Which questions were easy to answer?	
ii. Which questions were hard to answer?	
iii. Which questions were impossible to answer?	

Matching Dot Plots and Histograms

Draw a line from each dot plot on the left to the corresponding histogram on the right.



Making Histograms


By Hand

Suppose we have a dataset for a group of 50 adults, showing the number of teeth each person has...

1) Use the data to complete the frequency table below. (The last cell has been completed for you.)

number of teeth	0-4	5-9	10-14	15-19	20-24	25-29	30-34	
frequency							35	

2) Use the frequency table to draw a histogram below, filling in each interval so that its height is equal to the frequency.



In CODAP

Open the <u>Tooth Data Starter File</u>. Make a copy.

3) Look at the table that appears in the starter file. What do you see?

4) What bin sized was used for the histogram above?

5) Review the tooth table. Does this data appear to be the same or different from the tooth data that appeared in the first section?

6) Drag Num Teeth to the x-axis and select Group into Bins from the Configuration menu. Fuse dots into bars, then enter the desired bin width of 5.


7) How does the histogram you created in CODAP look *similar* to the one that you drew? Are there any ways in which the histogram you

created in CODAP is *different* than the one you created by hand?

Reading Histograms


Small Local Animal Shelter

Using the histogram below, respond to the questions about the distribution of dogs' weights at a small local animal shelter.




Larger Animal Shelter

Using the histogram below, respond to the questions about dogs ' weights at a different (much larger) animal shelter.




Using the histogram below, write three statements about the cats ' weights and their distribution at the large animal shelter.



Bar Charts Versus Histograms

A university consists of six colleges. Each student in the university has chosen to enroll in one of these colleges. The **bar chart** below shows the distribution of college choice. The **histogram** below shows the distribution of students by height in inches.



Differences and Similarities

Respond to the prompts to complete the table below.

	Bar Chart	Histogram
Displays frequency: yes or no?		
Type of data: categorical or quantitative?		
Bars touch: yes or no?		
Bars can be reordered: yes or no?		
The shape of the data matters: yes or no?		

1) What are some of the ways that bar charts and histograms are **alike**? Summarize your conclusions from the table.

2) What are some of the ways that bar charts and histograms are different? Summarize your conclusions from the table.

Distribution of College Choice

Four different students share their conclusions about the **bar graph** displayed above. Only **one** of those conclusions is correct. Respond whether you agree or not, and then explain your stance.

Student A: "The distribution is skewed to the left."

Student B: "The distribution is skewed to the right."

Student C: "The majority of students are enrolled in the college of science."


Student D: "After science and education, there is a large drop in enrollments for the other colleges."

Choosing the Right Bin Size

Open your saved <u>Animals Starter File</u> , or make a new copy. After dragging an attribute to an axes, select Group into Bins from the Configuration menu. Fuse dots into bars, then enter the desired bin width.
Make a histogram for the "weeks" column in the animals-table, using a bin size of 10 and the "name" column for your labels.
1) How many animals took between 0 and 10 weeks to be adopted?
2) How many animals took between 10 and 20 weeks to be adopted?
Try some other bin sizes (be sure to experiment with bigger and smaller bins!)
3) What shape emerges?
4) What bin size gives you a picture of the distribution with between 5 and 10 bins.
5) Are there any outliers? If so, are they high or low?
6) How many animals took between 0 and 5 weeks to be adopted?
7) How many animals took between 5 and 10 weeks to be adopted?
8) What else do you Notice? What do you Wonder?
9) What was a typical time to adoption?

Histograms Card Sort

Cut out one set of cards for every pair of students. Instructions for this sorting activity can be found on Sorting Histograms.



(handout)

Sorting Histograms


With your partner, sort the histograms into two piles: approximately symmetrical and definitely not symmetrical. Then, follow the prompts and respond to the questions below.
Symmetrical Histograms
Put your asymmetrical cards aside (or back in their envelope).
1) List out the letters of the histograms that were symmetrical:
2) Sort the symmetrical cards into two or three logical groups. Hint: It may be useful to think about peaks, gaps, clusters, center, and spread! What
do the cards in your first group have in common?
3) What do the cards in your second group have in common? (Describe your third group as well, if you have a third group.)
4) Can you think of a different way of grouping these histograms? Explain
5) Describe how you can determine what's typical of a symmetrical histogram.
Asymmetrical Histograms Put the symmetrical histograms away, and take out the asymmetrical histograms.
6) List out the letters of the histograms that were asymmetrical:
7) Sort the asymmetrical histograms into two or three logical groups. What do the cards in your first group have in common?
8) What do the cards in your second group have in common? (Describe your third group as well, if you have a third group.)
9) Can you think of a different way of grouping these histograms?

10) Describe how you can determine where the outliers are on an asymmetrical histogram.

Summarizing Columns with Bar Charts & Histograms

name	species	age	pounds
"Sasha"	"cat"	1	6.5
"Boo-boo"	"dog"	11	12.3
"Felix"	"cat"	16	9.2
"Nori"	"dog"	6	35.3
"Wade"	"cat"	1	3.2
"Nibblet"	"rabbit"	6	4.3
"Maple"	"dog"	3	51.6

The two data visualizations below both summarize columns of this table. In some ways they are similar. In other ways they are quite different!



What else do you Notice?	What else do you Wonder?

Using Shape to Interpret Data

Read each scenario. Draw a **rough** histogram sketch (you do not need to label the axes), then decide if the histogram is skew left, skew right, or symmetric. Explain your interpretation.

1) In the United States, there are a few billionaires that have far greater incomes than the average (about \$28,000).

Rough histogram sketch:	Circle one:	skew left	skew right	symmetric
	Explain your ch	pice:		

2) A school cafeteria mostly buys canned goods in huge sizes (48-64 ounces), but also purchases a few ingredients in smaller sizes.

Rough histogram sketch:	Circle one:	skew left	skew right	symmetric
	Explain your cho	pice:		

3) It's just as likely for a newborn baby to be a certain number of ounces below the average weight (approximately 7.5 pounds) as it is to be that number of ounces above the average weight.

Rough histogram sketch:	Circle one:	skew left	skew right	symmetric
	Explain your ch	oice:		

4) At many restaurants, the busiest dinner time is around 7pm, but there are always a few people who want to eat earlier or later.


Rough histogram sketch:	Circle one:	skew left	skew right	symmetric
	Explain your cho	bice:		

Reading Histograms

Students watched 5 videos, and rated them on a scale of 1 to 10. The average score for every video is the same (5.5).

Match the summary description (left) with the shape of the histogram of student ratings (right).

- The x-axis shows the score, and the y-axis shows the number of students who gave it that score.
- These axes are intentionally unlabeled the shapes of the ratings distributions were very different! And that's the focus here.



Histograms and Measures of Center


1) The two histograms below show the number of minutes students spent traveling to school: one represents a sample of sixth grade students and the other represents a sample of eighth grade students. All travel times in the dataset are whole numbers.



2) Which group has the larger mode(s). sixth graders


eighth graders the modes are roughly the same

3) The histogram below shows the ages of the 19 children who signed up for rock climbing camp.



Explain how you determined the median value:


4) Eleven students were asked to solve a logic puzzle. The minimum time was 5 minutes, and the maximum time was 35 minutes. The distribution of their times is shown on the histogram below.



Explain how you arrived at your choice: _

Histograms and Variability

1) Students watched 2 videos, and rated them on a scale of 1 to 10. The average score for every video is the same (5.5).




Comparing the two graphs, we know that:

The scores for Movie A have greater variability.
The scores for Movie B have greater variability.
The scores for Movie A and Movie B have equal variability.
It is impossible to tell from the given information.

Explain how you arrived at your answer:

2) The following graphs show the distribution of quiz scores for two classes.



3) Caro says, "Flatter histograms always show less variability." Is she correct? Explain why you agree or disagree with Caro.

Data Cycle: Quantitative Distributions (Animals) - Histograms

Describe two **histograms** made from columns of the animals dataset.

The first question is provided. You'll need to come up with the second question on your own!

Ask Questions	What is the distribution of weight among all animals at the shelter? What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	The histogram I created is for	at
Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Ask Questions	What question do you have?	(circle one): Lookup Arithmetic
?	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.)	(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	(circle one): Lookup Arithmetic Statistical

Data Cycle: Quantitative Distributions (My Dataset) - Histograms

Open <u>your chosen dataset</u>. Use the Data Cycle to explore the distribution of one or more quantitative columns using **histograms**, and write down your findings.

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data		
	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.)	
	What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	What did you find out? What can you infer?	
	What - if any - new question(s) does this raise?	

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
	What did you find out? What can you infer?	
	What - if any - new question(s) does this raise?	

Measures of Center in a Nutshell

There are three values used to report the *center* of a dataset.

- Each of these measures of center summarizes a whole column of quantitative data using just one number:
- Mean is the average of all the numbers in a dataset.
- Median : Half of the dataset will always be greater than or equal to the median. Half of the dataset will always be less than or equal to the median. In an ordered list, the median will either be the middle number or the average of the two middle numbers.
- Mode(s) of a dataset is the value (or values) occurring most often. When all of the values occur equally often, a dataset has no mode.

Which Measure of Center is most typical, depends on the shape of the data and the number of values.

- When a dataset is symmetric, values are just as likely to occur a certain distance above the mean as below the mean, and the median and mean are usually close together.
- When a dataset is asymmetric, the median is a more descriptive measure of center than the mean.
- Left skew datasets have a few values that are unusually low, which pull the mean *below* the median.
- Right skew datasets have a few values that are unusually high, which pull the mean above the median.
 - When a dataset contains a small number of values, the mode(s) may be the most descriptive measure of center. (Note that a small number of *values* is not the same as a small number of *data points*!)

Mean, Median, Mode(s) Practice

Mean

1) Find the mean of each dataset.

17, 23, 25, 23, 22
11, 3, 7, 4, 5
11, 3, 7, 4
5, 7, 11, 11, 7, 7
2, 3, 5, 4, 3, 7, 4

Median

2) Find the median of each dataset.

17, 23, 25, 23, 22	5, 11, 3, 7, 4	11, 3, 7, 4	5, 7, 11, 11, 7, 7	2, 3, 5, 4, 3, 7, 4

Mode(s)

3) Find the mode(s) of each dataset.

17, 23, 25, 23, 22 5, 11, 3, 7, 4 11, 3, 7, 4 5, 7, 11, 11, 7, 7 2, 3, 5, 4, 3, 7, 4	ع) Find the mode(s) of each dataset.				
	17, 23, 25, 23, 22	5, 11, 3, 7, 4	11, 3, 7, 4	5, 7, 11, 11, 7, 7	2, 3, 5, 4, 3, 7,4

Choosing the Best Measure of Center

Find the measures of center to summarize the pounds column of the Animals Starter File, then respond to the prompts.

1) The three measures of center for this column are:

Mean (Average)	Median	Mode(s)

2) If we scan the dataset, we can quickly see that most of the animals weigh less than the mean weight. Why is the average so high?

3) Referring to the pounds column of the Animals dataset, fill in the blanks:
Outliers on the right pull the mean toward the right, causing the mean to be the median the median the median
When the mean is greater than the median, the shape of the data is
Outliers on the left pull the mean toward the left, causing the mean to be the median.
When the mean is less than the median, the shape of the data is
4) In the dot plot below, identify which line is the median and which is the mean. Then label the lines. Hint: You can refer to the table at the top of the page.
0 20 40 60 80 100 120 140 160 180 Weight (lbs)
Which has more data clustered quite close to it, the median or the mean?
Which do you think better represents the data, the median or the mean? Why?
5) What did you learn from calculating the mode(s)?
6) Are there any measures of center that we can use for categorical data?
7) For which quantitative column(s) in the animals table do you think the modes might be a good measure of center? Why?
8) To take the average of a column, we add all the numbers in that column and divide by the number of rows. Will that work for every column?

Critiquing Written Findings

Consider the following dataset, representing the heaviest bench press (in lbs) for ten powerlifters:

135, 95, 230, 135, 203, 55, 1075, 135, 110, 185

1) In the space below, rewrite this dataset in sorted order.

2) In the table below, compute the measures of center for this dataset.

Mean (Average)	Median	Mode(s)

3) The following statements are correct ... but misleading. Write down the reason why.

Statement	Why it's misleading
"More personal records are set at 135 lbs than any other weight!"	
"The average powerlifter can bench press about 236 lbs."	
"With a median of 135, that means that half the people in this group can't even lift 135 lbs."	

Data Cycle: Measures of Center (Animals)

Open the Animals Starter File. Complete both of the Data Cycles shown here, which have questions defined to get you started.

Ask Questions	What is the mean age for animals at the shelter? What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	If you only need some rows, write an expression for your Filter Transformer here. If you need to Transform or Build an attribute, write the expression for your Transformer here. What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	What did you find out? What can you infer?	
	What - if any - new question(s) does this raise?	
Ask Questions	What is the median time it takes for an animal to be adopted? What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Ask Questions ? Consider Data	What question do you have? Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.)	(circle one): Lookup Arithmetic
?	What question do you have?	(circle one): Lookup Arithmetic
?	What question do you have? Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.)	(circle one): Lookup Arithmetic
Consider Data	What question do you have? Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.) If you only need some rows, write an expression for your Filter Transformer here. If you need to Transform or Build an attribute, write the expression for your Transformer here.	(circle one): Lookup Arithmetic
Consider Data	What question do you have? Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.) If you only need some rows, write an expression for your Filter Transformer here.	(circle one): Lookup Arithmetic
Consider Data	What question do you have? Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.) If you only need some rows, write an expression for your Filter Transformer here. If you need to Transform or Build an attribute, write the expression for your Transformer here.	(circle one): Lookup Arithmetic
Consider Data	What question do you have? Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.) If you only need some rows, write an expression for your Filter Transformer here. If you need to Transform or Build an attribute, write the expression for your Transformer here. What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	(circle one): Lookup Arithmetic

Data Cycle: Measures of Center (My Dataset)

Open your chosen dataset. Complete both of the Data Cycles shown here.


Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.)	
	What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	If you only need some rows, write an expression for your Filter Transformer here.	
	If you need to Transform or Build an attribute, write the expression for your Transformer here.	
	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	What did you find out? What can you infer?	
	What - if any - new question(s) does this raise?	
		Question Type
Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic
?	What question do you have?	(circle one): Lookup
Ask Questions ? Consider Data	What question do you have? 	(circle one): Lookup Arithmetic
?		(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	(circle one): Lookup Arithmetic
?	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.)	(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.) If you only need some rows, write an expression for your Filter Transformer here.	(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.) If you only need some rows, write an expression for your Filter Transformer here. If you need to Transform or Build an attribute, write the expression for your Transformer here. What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.) If you only need some rows, write an expression for your Filter Transformer here.	(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.) If you only need some rows, write an expression for your Filter Transformer here. If you need to Transform or Build an attribute, write the expression for your Transformer here. What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	(circle one): Lookup Arithmetic

Measures of Spread in a Nutshell

Data Scientists measure the *spread* of a dataset using a *five-number summary* :

- Minimum: the smallest value in a dataset it starts the first quarter
- Q1 (lower quartile): the number that separates the first quarter of the data from the second quarter of the data
- Q2 (Median) : the middle value (median) in a dataset
- Q3 (upper quartile): the value that separates the third quarter of the data from the last
- Maximum: the largest value in a dataset it ends the fourth quarter of the data

The five-number summary can be used to draw a box plot.



- Each of the four sections of the box plot contains 25% of the data.
 - If the values are distributed evenly across the range, the four sections of the box plot will be equal in width.
 - Uneven distributions will show up as differently-sized sections of a box plot.
- The left whisker extends from the minimum to Q1.
- The box, or interquartile range, extends from Q1 to Q3. It is divided into 2 parts by the median. Each of those parts contains 25% of the data, so the whole box contains the central 50% of the data.
- The right whisker extends from Q3 to the maximum.

The box plot above, for example, tells us that:

- The minimum weight is about 165 pounds. The median weight is about 220 pounds. The maximum weight is about 310 pounds.
- The data is not evenly distributed across the range:
 - 1/4 of the players weigh roughly between 165 and 195 pounds
 - 1/4 of the players weigh roughly between 195 and 220 pounds
 - 1/4 of the players weigh roughly between 220 and 235 pounds
 - 1/4 of the players weigh roughly between 235 and 310 pounds
 - 50% of the players weigh roughly between 165 and 220 pounds
 - 50% of the players weigh roughly between 195 and 235 pounds
 - 50% of the players weigh roughly between 220 and 310 pounds
- The densest concentration of players' weights is between 220 and 235 pounds.
- Because the widest section of the box plot is between 235 and 310 pounds, we understand that the weights of the heaviest 25% fall across a wider span than the others.
 - 310 may be an outlier
 - the weights of the players weighing between 235 pounds 310 pounds could be evenly distributed across the range
 - or all of the players weighing over 235 pounds may weigh around 310 pounds.


Distribution of a Dataset

Fa	amily Gathe	rings by the N	lumbers						
Lede	et Family Ages :	1, 44, 3, 42, 46, 7	4, 75, 21, 74, 70,	40, 41, 45			Av	erage: 44.3 year	rs old
1) Oi	rder the Ages fro	om Least to Great	test:						
Ther	n compute: Mir	iimum Q1	Mediar	Q3	Maximum		Range Inte	rquartile Range (IQR))
Wat	son Family Age	s: 70, 68, 69, 72,	65, 75, 65, 78, 70	, 72, 71, 70			Av	erage: 70.4 year	rs old
2) Oi	rder the Ages fro	om Least to Great	test:						
Ther	n compute: Mir	iimum Q1	Mediar	Q3	Maximum		Range Inte	rquartile Range (IQR))
В	ox Plots - Vis	sualizing Sha	ре						
Q1 to	o Q3), let the mec	ach family's age d lian split the box in						x around the IQR (<u>'</u> from
3) Le	edet:								
	0	10	20	30	40	50	60	70	80
4) W	atson:								
					10	50		70	
	0	10	20	30	40	50	60	70	80
С	ompare and	Contrast							
5) Fc	or which family g	athering was the	average age mor	e typical? How d	o you know?				
6) W	/hat else do you	Notice and Wond	ler about the dat	a from these two	family gathering	ıs?			

7) We plotted both of these box plots on number lines with the same scale. What are the pros and cons of that choice?

Matching Dot Plots and Five-Number Summaries

Draw a line from each dot plot on the left to the corresponding five-number summary on the right. You might find it useful to label the fivenumber summaries before you begin matching (see question 1 for an example).




Create Box Plots from Dot Plots

Use the five-number summary to draw a box plot above the corresponding dot plot. When you're finished, identify which quarter(s) of the data are packed the densest, and which quarter(s) of the data are the most dispersed. The first row has been completed as a sample.



Matching Dot Plots and Box Plots

Draw a line from each dot plot on the left to the corresponding box plot on the right.




Summarizing Columns with Measures of Spread

Summarizing the Pou	nds Column					
Get the values to summarize th over the minimum, Q1, median		ounds column of the	Animals Starter File by crea	ting a Box Plot and hovering		
1) My five-number summary is	:					
Minimum	Q1	Median	Q3	Maximum		
2) Draw a box plot from this su	mmary on the number line	below. Be sure to label the nu	Imber line with consistent inte	rvals.		
Г <u></u>		I				
3) The Range is: 4) From this summary and box		ıartile Range(IQR) is:				
Summarizing the		_Column				
Choose another column to inve	estigate by making a box-r	plot				
5) My five-number summary is	:					
Minimum	Q1	Median	Q3	Maximum		
6) Draw a box plot from this su	mmary on the number line	below. Be sure to label the nu	mber line with consistent inte	rvals.		
	mmary on the number line	below. Be sure to label the nu	Imber line with consistent inte	rvals.		

Identifying Shape - Box Plots


Describe the shape of the box plots on the left. Do your best to incorporate the vocabulary you've been introduced to.




Computing Standard Deviation

Here are the ages of different cats at the shelter: 1, 7, 1, 1, 2, 2, 3, 1, 5, 7

1) How many cats are represented in this sample?_____





2) Describe the shape of this histogram. _____

3) What is the mean age of the cats in this dataset?

4) How many cats are 1 year old? 2 years old? Fill in the table below. The first column has been done for you.

age	1	2	3	4	5	6	7
frequency	4						

5) Draw a star to locate the mean on the x-axis of the histogram above .

6) For each cat in the histogram above, **draw a horizontal arrow** under the axis from your star to the cat's interval, and **label the arrow with its distance from the mean**. (For example, if the mean is 3 and a cat is in the 1yr interval, your arrow would stretch from 1 to 3, and be labeled with the distance "2")

To compute the standard deviation we square each distance and take the average, then take the square root of the average.

7) We've recorded the ages (N=10) shown in the histogram above in the table below, and listed the distance-from-mean for the four 1-yearold cats for you. As you can see, 1 year-olds are 2 years away from the mean, so their squared distance is 4. Complete the table.

age of cat	1	1	1	1	2	2	3	5	7	7
distance from mean	2	2	2	2						
squared distance	4	4	4	4						


8) Add all the squared distances. What is their sum?

9) There are N=10 distances. What is N-1?	Divide the sum by N-1. What do you get?	

10) Take the square root to find the **standard deviation** ! ______

The Effect of an Outlier

The histogram below shows the ages of eleven cats at the shelter:



1) Describe the shape of this histogram. _____

2) How many cats are 1 year old? 2 years old? Fill in the table below by reading the histogram. The first column has been done for you.

age	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
frequency	4															

3) What is the mean age of the cats in this histogram?

4) Draw a star to identify the mean on the histogram above.

5) For each cat in the histogram above, **draw a horizontal arrow** from the mean to the cat's interval, and **label the arrow with its distance from the mean**. (If the mean is 2 and a cat is 5 years old, your arrow would stretch from 2 to 5, and be labeled with the distance "3") To compute the standard deviation we square each distance and take the average, then take the square root of the average.

6) Recorded the 11 ages shown in the histogram in the first row of the table below. For each age, compute the distance from the mean and the squared distance.

age of cat						
distance from mean						
squared distance						

7) Add all the squared distances. What is their sum?

5	3) Divide the sum by <i>N</i> -1. What do you get?	

9) Take the square root to find the standard deviation !

10) How did the outlier impact the standard deviation?

Data Cycle: Measure of Spread (Animals)

Open the <u>Animals Starter File</u>. The mean time-to-adoption is 5.75 weeks. Does that mean most animals generally get adopted in 4-6 weeks? Use the Data Cycle to find out. Write your findings on the lines below, in response to the question.

Ask Questions	Do the animals all get adopted in around the same length of time? What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	If you only need some rows, write an expression for your Filter Transformer here. If you need to Transform or Build an attribute, write the expression for your Transformer here. What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	What did you find out? What can you infer? What - if any - new question(s) does this raise?	

Turn the Data Cycle above into a Data Story, which answers the question "If the average adoption time is 5.75 weeks, do all the animals get adopted in roughly 4-6 weeks?"

Data Cycle: Measure of Spread (My Dataset)

Open your chosen dataset. Use the Data Cycle to find the standard deviation in two distributions, and write down your thinking and findings.

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical							
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)								
Analyze Data	If you only need some rows, write an expression for your Filter Transformer here.								
	If you need to Transform or Build an attribute, write the expression for your Transformer here. What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?								
Interpret Data	What did you find out? What can you infer?								
	What - if any - new question(s) does this raise?								
Ask Questions		Question Type							
?	What question do you have?	(circle one): Lookup Arithmetic Statistical							
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.)	(circle one): Lookup Arithmetic							
Consider Data		(circle one): Lookup Arithmetic							
	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	(circle one): Lookup Arithmetic							
	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.) If you only need some rows, write an expression for your Filter Transformer here. If you need to Transform or Build an attribute, write the expression for your Transformer here.	(circle one): Lookup Arithmetic							

Computing Standard Deviation (2)

Here are ten different family incomes: \$43k, \$62k, \$39k, \$141k, \$58k, \$82k, \$41k, \$73k, \$68k, \$73k

1) Draw the **distribution** of these incomes by placing a dot on the number line below. If two families have the same income, put one dot on top of the other. Finally, draw a **box plot** on the number line, making sure to label the axis and show each quartile.

2) Describe the shape of this box-plot.

3) What is the mean income of the families in this dataset? _____

4) How many families earn \$39k? \$43k? Fill in the table below. The first column has been done for you.

income	\$39k	\$41k	\$43k	\$58k	\$62k	\$68k	\$73k	\$82k	\$141k
frequency	1								

5) Draw a star to locate the mean on the number line above.

6) For each family on the number line you drew,

- Draw a horizontal arrow under the axis from the star you drew in #5 to the dot for that family's income
- Label the arrow with its distance from the mean. e.g. if the mean is \$50k and a family's income is \$82k, your arrow would stretch from \$50k to \$82k, and be labeled with the distance "\$32k"

To compute the standard deviation we square each distance and take the average, then take the square root of the average.

7) For each of the 10 incomes in the table below, list the distance-from-mean for each income, using the mean you computed above. Then fill in the squared distance in the next row to complete the table.

income (in 10s of thousands)	39	41	43	58	62	68	73	73	82	141
distance from mean										
squared distance										

8) Add all the squared distances. What is their sum?

9) There are N=10 distances. What is N-1? Divide the sum by N-1. What do you get?

Divide the sum by N-1. What do you get.

10) Take the square root to find the standard deviation !

Matching Mean & Standard Deviation to Data

In the table below, match the mean and standard deviation to the list of data it describes.

Mean: 4 StDev: 0	1	А	-1, -2, -3, -4, -5, -6, -7
Mean: -5 StDev: ~5.66	2	В	1, 2, 3, 4, 5, 6, 7
Mean: 4 StDev: ~2.16	3	C	-1, -9
Mean: 4 StDev: ~2.65	4	D	0, 2, 3, 4, 5, 6, 8
Mean: -4 StDev: ~2.16	5	Ε	4, 4, 4, 4, 4

Relationships Between Quantitative Columns

Scatter Plots

Scatter plots can be used to look for relationships between columns. Each row in the dataset is represented by a point, with one column providing the x-value (*explanatory variable*) and the other providing the y-value (*response variable*). The resulting "point cloud" makes it possible to look for a relationship between those two columns.

- Form
 - If the points in a scatter plot appear to follow a straight line, it suggests that a linear relationship exists between those two columns.
 - Relationships may take other forms (u-shaped for example). If they aren't linear, it won't make sense to look for a correlation.
 - Sometimes there will be no relationship at all between two variables.
- Direction
 - The correlation is **positive** if the point cloud slopes up as it goes farther to the right. This means larger y-values tend to go with larger x-values.
 - The correlation is negative if the point cloud slopes down as it goes farther to the right.
- Strength
 - It is a **strong** correlation if the points are tightly clustered around a line. In this case, knowing the x-value gives us a pretty good idea of the y-value.
 - It is a weak correlation if the points are loosely scattered and the y-value doesn't depend much on the x-value.

Line of Best Fit

Linear Relationships can be graphically summarized by drawing a straight line through the data cloud. This summary line is called a "model", as it attempts to provide a simple summary for trends in the dataset. For most datasets, there is no line that will touch every dot, so *all possible models will have some error!* But if the line is close enough to enough of the dots, the model can still help us reason and make predictions about y-values from x-values

Data = Model + Error

The line that is *closest* to all the other points is known as the *line of best fit*, meaning it is the *best possible summary* of the relationship and therefore the *best possible model*.

Linear Regression is a way of computing the line of best fit. It considers every single data point to generate the optimal linear model, with the smallest possible vertical distance between the line and all the points taken together. (More specifically, the computer minimizes the sum of the squares of the vertical distances from all of the points to the line. There's a reason we use computers to do this!)


Points that do not fit the trend line in a scatter plot are called unusual observations.

New Animals

1) The table below has some new animals!

- Choose an animal and plot a dot for it on the scatter plot on the right using its age and weeks values. (*Pay careful attention to how the axes are labelled.*)
- Then write the animal's name next to the dot you made.

name	species	age	weeks
"Alice"	"cat"	1	2
"Bob"	"dog"	17	2
"Callie"	"cat"	14	16
"Diver"	"lizard"	1	20
"Eddie"	"dog"	6	9
"Fuzzy"	"cat"	8	5
"Gary"	"rabbit"	4	2
"Hazel"	"dog"	3	3
"Chelsea"	"cat"	12	14
"Josie"	"dog"	9	12
"Cheetah"	"dog"	10	8



2) Plot the rest of the animals - one at a time - labeling each point as you go. After each animal, ask yourself whether or not you see a pattern in the data.

3) After how many animals did you begin to see a pattern?


Generalizing the pattern

4) Use a straight edge to draw a line on the graph that best represents the pattern you see, then circle the cloud of points around that line.

5) Are the points tightly clustered around the line or loosely scattered?

6) Does this display support the claim that younger animals get adopted faster? Why or why not?

7) Now place 10 points on the graph to make a scatter plot that appears to have NO relationship.



Exploring Relationships Between Columns

This page is designed to be used with the <u>Animals Starter File</u>. Log into <u>CODAP</u> to open your saved copy.

As you consider each of the following relationships, first think about what you <i>expect</i> , then make the scatter plot to see if it supports your hunch.
1) How are the <u>pounds</u> an animal weighs related to its <u>age</u> ? explanatory variable
What would you expect?
What did you learn from your scatter plot?
2) How are the number of <u>weeks</u> it takes for an animal to be adopted related to its number of <u>legs</u> ?
What would you expect?
What did you learn from your scatter plot?
 3) How are the number of <u>legs</u> an animal has related to its <u>age</u>? • What would you expect?
What did you learn from your scatter plot?
4) Do any of these relationships appear to be linear (straight-line)?
5) Are there any unusual observations?

Data Cycle: Looking for Relationships (Animals)

Open the <u>Animals Starter File</u>. Use the Data Cycle to search for relationships between columns. The first cycle has a question to get you started. What question will you ask for the second?

Ask Questions	Is there a relationship between weight and adoption time? What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.)	
	What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data		
	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	What did you find out? What can you infer?	
	What - if any - new question(s) does this raise?	

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	What did you find out? What can you infer?	
	What - if any - new question(s) does this raise?	

Data Cycle: Looking for Relationships (My Dataset)


Open your chosen dataset. Use the Data Cycle to search for relationships between columns.

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	There appears to be no relationship between and	ionship

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
	There appears to be no relationship betweenandand	e
Interpret Data	There appears to be a,, rela, rela	tionship
	betweenand x-variabley-variable	
	Some possible outliers might be	

Identifying Form, Direction and Strength

What do your eyes tell you about the Form, Direction, & Strength of these visualizations? **Note:** If the form is nonlinear, we shouldn't report direction - a curve may rise and then fall.



Reflection on Form, Direction and Strength

1) What has to be true about the shape of a relationship in order to start talking about the correlation's direction being positive or negative?

2) What is the difference between a weak relationship and a negative relationship?

3) What is the difference between a strong relationship and a positive relationship?

4) If we find a strong relationship in a sample from a larger population, will that relationship *always hold* for the whole population? Why or why not?

5) If two correlations are both positive, is the stronger one more positive (steeper slope) than the other?

6) A news report claims that after surveying 10 million people, a positive correlation was found between how much chocolate a person eats and how happy they are. Does this mean eating chocolate almost certainly makes you happier? Why or why not?

Summarizing Correlations with r-values

The correlation between two quantitative columns can be summarized in a single number, the r -value.

- The sign tells us whether the correlation is positive or negative.
- Distance from 0 tells us the strength of the correlation.
- Here is how we might interpret some specific r-values:
 - -1 is the strongest possible negative correlation.
 - +1 is the strongest possible positive correlation.
 - 0 means no correlation.
 - ±0.65 or ±0.70 or more is typically considered a "strong correlation".
 - ± 0.35 to ± 0.65 is typically considered "moderately correlated".
 - Anything less than about ±0.25 or ±0.35 may be considered weak.


Note: These cutoffs are not an exact science! In some contexts an r-value of ±0.50 might be considered impressively strong! And sample size matters! We'd be more convinced of a positive relationship in general between cat age and time to adoption if a correlation of +0.57 were based on 50 cats instead of 5.

<u>Correlation is not causation!</u> Correlation only suggests that two variables are related. It does not tell us if one causes the other. For example, hot days are correlated with people running their air conditioners, but air conditioners do not cause hot days!

Identifying Form and r-Values

What do your eyes tell you about the Form and Direction of the data? If the form is linear, approximate the *r*-value. **Reminder:**

- -1 is the strongest possible negative correlation, and +1 is the strongest possible positive correlation
- 0 means no correlation
- ±0.65 or ±0.70 or more is typically considered a "strong correlation"
- ±0.35 to ±0.65 is typically considered "moderately correlated"
- Anything less than about ±0.25 or ±0.35 may be considered weak



Correlation Does Not Imply Causation!

Here are some possible correlations and the nonsense headlines a confused journalist might report as a result. In reality, the correlations have absolutely no causal relationship; they come about because both of them are related to another variable that's lurking in the background.

Can you think of another variable for each situation that might be the actual cause of the correlation and explain why the headlines the paper ran based on the correlations are nonsense?

1) **Correlation:** For a certain psychology test, the amount of time a student studied was negatively correlated with their score! **Headline:** "Students who study less do better!"

2) **Correlation:** Weekly data gathered at a popular beach throughout the year showed a positive correlation between sunburns and shark attacks. **Headline:** "Sunburns Attract Shark Attacks!"

3) **Correlation:** A negative correlation was found between rain and ski accidents. **Headline:** "Be Safe - Ski in the Rain!"

4) **Correlation:** Medical records show a positive correlation between Tylenol use and Death Rates. **Headline:** "Tylenol use increases likelihood of dying!"

5) **Correlation:** A positive correlation was found between hot cocoa sales and snow ball fights. **Headline:** "Beware: Hot Cocoa Drinking encourages Snow Throwing!"

Correlations in the Animals Dataset

1) Create a scatter plot for the <u>Animals Starter File</u>, using "pounds" as the xs and "weeks" as the ys.

•	Form:	Does the	point cloud	appear	linear or	nonlinear?
		Docstille	point ciouu	appear	mical of	nonnicai.

Direction: If it's linear, does it appear to go up or down as you move from left to right?

Strength: Is the point cloud tightly packed, or loosely dispersed?

Would you predict that the *r* -value is positive or negative?

Will it be closer to zero, closer to ±1, or in between?

What r -value, does CODAP compute when you type r-value(animals-table, "pounds", "weeks")?

Does this match your predictions?

2) Create a scatter plot for the Animals Dataset, using "age" as the xs and "weeks" as the ys.

•	Form:	Does the	point cloud	appear	linear or	nonlinear?
-	i orm.	DUESTIE	ροπτι τισαά	appear	iiiieai ui	nonniear

Direction: If it's linear, does it appear to go up or down as you move from left to right?

Strength: Is the point cloud tightly packed, or loosely dispersed?

What *r* -value does CODAP compute?

Does this match your prediction?

3) Is this correlation stronger or weaker than the correlation for "pounds"?

4) What does that mean?


Correlations in My Dataset

1) There may be a correlation between	column	and	column	·
I think it is astrong/weak				_correlation,
because				
It might be stronger if I looked at				
2) There may be a correlation between				
I think it is astrong/weak	,	positive/negative		_correlation,
because				
It might be stronger if I looked at		sample or extension of my data		
3) There may be a correlation between	column	and	column	
I think it is astrong/weak	,	positive/negative		_correlation,
because				
4) There may be a correlation between	column	and	column	
I think it is astrong/weak		positive/negative		_correlation,
because				
It might be stronger if I looked at	a	sample or extension of my data		

Identifying Form, Direction and Strength (Matching)

Match the description (left) with the scatter plot (right).

Note: The computer won't tell us if the relationship we see in a scatter plot is linear, so it's important to train our eyes to decide this ourselves. For linear relationships, we should train our eyes to assess their direction and get a feel for their strength, so that we have a sense of whether the computed results make sense.



Introduction to Linear Regression

Open the <u>Interactive Regression Line (Geogebra)</u> . Move the blue point "P", a	nd see what effect it has on the red line.					
1) Move P so that it is centered amongst the other points. Now move	it all the way to top and bottom of the screen.					
2) Move P so that it is far to the left or right of the other points. Now move it all the way to top and bottom of the screen. How - if at all - does						
the x-position of P impact on the line of best fit?						
3) Could the <i>regression line</i> ever be above or below <i>all</i> the points (<i>incl</i>	uding the blue one you're dragging)? Why or why not?					
4) Would it be possible to have a line with more points on one side tha	n the other? Why or why not?					
5) What is the highest <i>r</i> -value you can get?	Where did you place <i>P</i> ? (,)					
6) What function describes the regression line with this value of P ?	y = x +					
7) What is the lowest <i>r</i> -value you can get?	Where did you place <i>P</i> ? (,)					
8) What function describes the regression line with this value of P ?	y = x +					
Predictions from Scatter Plots						
30	30					
25	25					
20	20					
\$¥99 15	§ 15 15					
10	10					
5	5					
5 10 15						
age	pounds					

9) Use a straight edge to draw what you think would be the line of best fit for **age vs. weeks** (on the left). Is this a strong correlation that will allow us to make a good prediction of an animal's adoption time just by knowing how old it is?

10) Use a straight edge to draw what you think would be the line of best fit for **pounds vs. weeks** (on the right). Is this a strong correlation that will allow us to make a good prediction of an animal's adoption time just by knowing how heavy it is?

11) Do either or both of the relationships appear to be linear?


How much can one point move the line of best fit?

Drawing Predictors

Remember what we learned about r-values...

r = -1	r = -0.5	r = 0	r = 0.5	r = 1
perfect negative correlation	moderate negative association	no correlation	moderate positive association	perfect positive correlation

For each of the scatter plots below, draw a **predictor line** that seems like the best fit. Describe the correlation in terms of Direction and whether you think it is **generally** stronger or weaker, then estimate the r-value as being close to -1, -0.5, 0, +0.5, or +1.




Exploring Ir-plot

age
You should already have created a Least Squares line with $Weeks$ on the x-axis and Age on the y-axis in the <u>Animals Starter File</u> .
1) What is the predictor function? <i>y</i> = <i>x</i> + <i>r</i> =
2) What is the slope?
3) What is the y-intercept?
4) How long would our line of best fit predict it would take for a 5 year-old animal to be adopted?
5) What if they were a newborn, or just 0 years old?
6) Does it make sense to find the adoption time for a newborn using this predictor function? Why or why not?
weight
Make another Least Squares Line, but this time use the animals' weight as our explanatory variable instead of their age.
7) How long would our line of best fit predict it would take for an animal weighing 21 pounds to be adopted?
8) What if they weighed 0.1 pounds?
cats
9) Using the Animals Dataset - Cats Only, make another Least Squares Line, comparing the age v. weeks columns for only the cats.
10) What is the predictor function? <i>y</i> = <i>x</i> + <i>r</i> =
11) What is the slope?
12) What is the y-intercept?
13) How does this line of best fit for <i>cats</i> compare to the line of best fit for <i>all animals</i> ?
14) How long would our line of best fit predict it would take for a 5 year-old cat to be adopted?

★ Using <u>Animals Dataset - Dogs Only</u>, make another Least Squares line, comparing the age v. weeks columns for *only the dogs*.

Making Predictions



Interpreting Regression Lines & r-Values

Use the predictor function and r-value from each linear regression finding on the left to fill in the blanks of the corresponding description on the right.

1	sugar(m) = −3.19m + 12 r = −0.05	For every additional Marvel Universe movie released each year, the average person is predicted to consume pounds of sugar! This [amount] [more / fewer] correlation is [strong, moderate, weak, practically non-existent]		
2	height(s) = 1.65s + 52 r = 0.89	Shoe size and height are,,,,,,		
3	babies(u) = 0.012u + 7.8 r = 0.01	There is relationship found between the number relationship found between the number of Uber drivers in a city and the number of babies born each year.		
4	score(w) = -15.3w + 1150 r = -0.65	The correlation between weeks-of-school-missed and SAT score isand Forstrong, moderate, weak, practically non-existent] and For every week a student misses, we predict a point in their SATscore.		
5	weight(n) = 1.6n + 160 r = 0.12	There is a,,,,,,,,,,		

Data Cycle: Regression Analysis (Animals)

Open the <u>Animals Starter File</u>. Before completing a data cycle on your own, read the provided example.

Ask Questions	How big of a factor is age in determining adoption time? What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	all animals at the shelter Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) name, age, and weeks What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	Set y-axis to weeks, set x-axis to age. Select least squares line from the Measure menu. What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	I performed a linear regression on a sample of	
Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Ask Questions		(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.)	(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	(circle one): Lookup Arithmetic Statistical

Describing Relationships

A small sample of people were surveyed about their coffee drinking and sleeping habits. Does drinking coffee impact one's amount of sleep? **NOTE: this data is made up for instructional purposes!**

Daily Cups of Coffee	Sleep (minutes)	
3	400	y=-22.321x + 444.778; r-sq: 0.426
0	480	•
8	310	• •
1	300	450
1	390	450
2	360	
1	410	
0	500	
2	390	
1	480	
3	360	
4	430	300
0	450	
5	240	
1	420	
2	380	0 2 4 6 8
1	480	

1) Describe the relationship between coffee intake and minutes of sleep shown in the data above.

2) Why is the y-axis of the display above misleading?

Data Cycle: Regression Analysis (My Dataset)

Open your chosen dataset. Ask a question about your data to tell your Data Story.


Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	I performed a linear regression on a sample of	nd a is
Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Ask Questions		(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.)	(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	(circle one): Lookup Arithmetic Statistical

Describing Relationships (2)

A small sample of people were surveyed about their satisfaction with their most recent purchase using a scale from 1 (very unsatisfied) to 5 (extremely satisfied).

NOTE: this data is made up for instructional purposes!

Dollars	Satisfaction
15.5	4
280	5
0.99	1
2.3	3
39	3
82	4
215	4
700	4
25	3
79	4
99.99	5
30	1
75	5
13	4
320	5
260	5
150	1
28	1
45	2
65	2



Describe the relationship between dollars spent and satisfaction shown in the data above.

Data Cycle: Regression Analysis 2 (My Dataset)

Open your chosen dataset. Ask a question about your data to tell your Data Story.

Ask Questions	What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	If you only need some rows, write an expression for your Filter Transformer here. If you need to Transform or Build an attribute, write the expression for your Transformer here.	
Interpret Data	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)? What did you find out? What can you infer?	
	What - if any - new question(s) does this raise?	
Write your Data Sto		
l performed a linea	r regression on a sample of and f	ound
	a weak/strong/moderate (R=), positive/negative	
	and	
	I would predict that a 1 ind [y-axis] [x-axis units]	crease in
[x-axis]	is associated with aislope, y-units]in	
	· · · · · · · · · · · · · · · · · · ·	

[y-axis]

Case Study: Ethics, Privacy, and Bias

These questions are designed to accompany one of the case studies provided in the Ethics, Privacy, and Bias

My Case Study is

1) Read the case study you were assigned, and write your summary here.

2) Is this a good thing or a bad thing? Why?

3) What are the arguments on *each* side? Data Science used for this purpose is good because...

Data Science used for this purpose is bad because...

Data Collection in a Nutshell

With Great Power Comes Great Responsibility

Politicians pass laws, shoppers choose brands, and countries go to war based on studies that sound reliable. But sometimes the data those decisions are made on is unreliable and misleading!

There are many ways for a study and its analysis to be flawed, whether by accident, by incompetence or by intent.

Being an ethical data scientist means making sure that every element of your study is designed to minimize bias in the data and analysis.

It is also best practice to acknowledge any limitations of datasets we create by writing a Datasheet for the Dataset that describes how the data was collected, what efforts were made to avoid bias, and what data may have been left out, so that people who are trying to make sense of studies that use the dataset don't have to wonder about how reliable it is for the purposes they want to use it for.

Data Cleaning

In order to process data, it needs to be clean. Four ways that data can be dirty include:

1) Missing Data - A column containing some cells with data, but some cells left blank.

2) **Inconsistent Types** - A column where some values have one data type and some cells have another. For example, a years column where almost every cell is a Number, but one cell contains the string "5 years old".

3) **Inconsistent Units** - A column where the data types are the same, but they represent different units. For example, a weight column where some entries are in pounds but others are in kilograms.

4) **Inconsistent Naming** - Inconsistent spelling and capitalization for entries lead to them being counted as different. For example, a species column where some entries are "cat" and others are "Cat" will not give us a full picture of the cats.

Once the data is dirty, we have to make careful choices about how to clean it. It's never as simple as just deleting dirty rows! That might, for example, lead us to draw conclusions about the world in general based on a dataset the underrepresents the reality for developing countries.

Survey Validation

We can design a survey to improve the odds of getting clean data. A few design features that improve results include:

1) Required Questions - By making a question "required", we can eliminate missing data and blank cells.

2) Question Format - When you have a fixed number of categories, a drop-down can ensure that everyone selects one - and only one! - category.

3) **Descriptive Instructions** - Sometimes it's helpful to just add instructions! This can remind respondents to use inches instead of centimeters, for example, or give them extra guidance to answer accurately.

4) Adding Validation - Most survey tools allow you to specify whether some data should be a number or a string, which helps guard against inconsistent types. Often, you can even specify parameters for the data as well, such as "strings that are email addresses", or "numbers between 24 and 96".

Analyzing Survey Results When Data is Dirty

These questions are designed to accompany the Survey of Eighth Graders and their Favorite Desserts Starter File.

1) Paolo made a dot plot of the dessert column and was surprised to discover that **Fruit** was the most popular dessert among 8th graders!

Make the dot plot in CODAP to see what he's looking at. Why is this display misleading? How is the data "dirty"?

2) What ideas do you have for how the survey designer could have made sure that the data in the dessert column would have been cleaner?

3) Make a data visualization showing the ages of the 8th graders surveyed. What "dirty" data problems do you spot and how are they misleading?

4) What ideas do you have for how the survey designer could have made sure that the data in the age column would have been cleaner?

5) Experiment with making data visualizations for other columns. What other issues can you spot? What other suggestions do you have for how the survey could have been improved?

Dirty Data!

Open the <u>New Animals Spreadsheet</u> and take a careful look. A bunch of new animals are coming to the shelter, and that means more data!

What do you Notice?	What do you Wonder?				
There are many different ways that data can be dirty! a. Missing Data - A column containing some cells with data, but som	e cells left blank				
	xample, a years column where almost every cell is a Number, but one				
	onsistent units. For example, a weight column where some entries are				
d. Inconsistent Naming - Inconsistent spelling and capitalization for species column where some entries are "cat" and others are					
1) Which animals' row(s) have missing data?					
2) Which column(s) have inconsistent types?					
3) Which column(s) have inconsistent units?	3) Which column(s) have inconsistent units?				
4) Which column(s) have inconsistent naming?					
5) If we want to analyze this data, what should we do with the rows for	Tanner, Toni, and Lizzy?				
6) If we want to analyze this data, what should we do with the rows for Chanel and Bibbles?					
7) If we want to analyze this data, what should we do with the rows for	Porche and Boss?				
B) If we want to analyze this data, what should we do with the row for Niko?					
	na, Rover, Susie Q, and Happy?				
10) Sometimes data cleaning is straightforward. Sometimes the proble					
you certain of your data cleaning suggestion? For which were you less of	certain? Why?				

Bad Questions Make Dirty Data

The Height v Wingspan Survey has *lots* of problems, which can lead to many kinds of dirty data: Missing Data, Inconsistent Types, Inconsistent Units and Inconsistent Language! Using the link provided by your teacher to your class' copy of the survey, try filling it out with bad data. Record the problems for each question and make some recommendations for how to improve the survey!

	What examples of bad data were you able to submit?	How could the survey be improved to avoid bad data?
A Age		
B Grade		
C Height		
D Wingspan		

Filter and Booleans

A Boolean is a type of data with two values: true and false.

Transformers allow us to transform datasets to produce new, distinct output datasets, instead of modifying the original input dataset itself. We use them to manipulate tables and enable low-stakes "what if?" exploration.

We must provide the Filter Transformer with a Boolean expression, which evaluates to true or false. Filter then produces a copy of the input dataset that only has the cases for which the expression evaluated to true.

Every Transformer we make requires a unique expression. It's important to get the expression just right, or the Transformer will produce an error. Strings belong inside quotation marks, but Booleans do not!

Booleans and Filters (1)

Notice & Wonder

Transformer: filter-is-heavy				
filter-is-heavy (Filter)				
Dataset to Filter				
Select a Dataset 🔹 👻				
Formula to Filter By				
Contract: Row \rightarrow Boolean				
Purpose Statement				
Checks the number of pounds to see if it is greater than 32.				
Keep all rows that satisfy:				
Pounds>32				
Apply Transformer				
Edit				

1) What do you Notice about the Filter Transformer on the left, which you can also view in the <u>Boolean Starter File</u>?

2) What do you Wonder about the Filter Transformer?

3) In the Boolean Starter File, open filter-is-heavy. (To do so, select the - that appears on the left when you hover.) Select "Apply

Transformer". In your own words, describe what happened when you applied the Filter transformer to the Animals Dataset.

Some Booleans You Might Know

In the filter-is-heavy Transformer (above), we used a *Boolean* expression to tell CODAP that we wanted to keep all rows where Pounds was greater than 32. The greater than symbol (>) is an example of a Boolean operator that you're probably already familiar with.

4) Here are six different Booleans that we will use in CODAP.

- Put a check mark by the Booleans where you can guess what they do.
- Put a question mark by any Booleans that you're not sure about.

>	<	=	> =	> =	! =

Boolean-producing expressions are yes-or-no questions and will always evaluate to either true ("yes") or false ("no"). What will each of the expressions below evaluate to? Write down your prediction in the space provided. You'll get a chance to see if you were correct on the next page.

5) 3 <= 4	 6) "a" > "b"	
7) 3 = 2	 8) "a" < "b"	
9) 2 < 4	 10) "a" = "b"	
11) 5 >= 5	 12) "a" != "a"	
13) 4 >= 6	 14) "a" >= "a"	
15) 3 != 3	 16) "a" != "b"	

Booleans and Filters (2)

Booleans and Numbers

In the <u>Boolean Starter File</u>, open the Transformer called filter-is-???, pictured below. For each prompt below, you will select "Edit" in the Transformer, and then enter the specified Boolean expression. (Relevant boxes are highlighted in red in the image on the right.)

Transformer: filter-is-???	
filter-is-??? (Filter)	1) Click Edit. Change Pounds= so that it says Pounds=32. What happened?
Dataset to Filter Animals-Dataset-1.5.1 🗸	
Formula to Filter By	
Contract: Row \rightarrow Boolean	2) What would be a good name for a Transformer with the expression Pounds=32?
Purpose Statement	
Checks the pounds to see if	
Keep all rows that satisfy: Pounds= Apply Transformer Edit	3) What would be a good Purpose Statement for a Transformer with the expression Pounds=32?

4) With your partner, test out each of the Booleans listed below, using **Pounds** 32 as the Transformer's expression.

- What happens if you put < in the blank?
 What happens if you put > in the blank?
 What happens if you put <= in the blank?
 What happens if you put >= in the blank?

Booleans and Strings

5) Click Edit. This time, type Name>"Maple" in the expression box. What happened?

6) Predict what will happen if you edit the expression so that it says Name<="Maple" (then try it!).

7) With your partner, test out each of the Booleans listed below, using Name Maple as the expression.					
What happens if you put < in the blank?					
What happens if you put = in the blank?					
What happens if you put >= in the blank?					
What happens if you put <= in the blank?					
What happens if you put != in the blank?					
8) Edit the Transformer's expression so that it says: beginsWith(Name, "Sn"). What happened?					

9) Now try this expression: beginsWith(Name, "sn"). Did you get the result you expected?

 \star Go back to <u>Booleans and Filters (1)</u> and use a different color pen to correct any questions (4-15) that you got wrong.

Filter

Make sure you're logged into the <u>Animals Starter File</u> in CODAP. Select the Plugins icon, then choose Transformers.

Create, Apply, and Save a Filter Transformer (Step by Step)

Transformers	
Transformer ? 🔇	1) Choose Filter from the drop-down menu that appears (Box 1).
Filter 1 v	2) Name the Transformer filter-is-dog. Type the name into Box 2 (left).
Transformer Name e.g., filter-is-cat 2	3) Click on "Dataset to Filter" to confirm that the Animals Dataset is selected.
Dataset to Filter Animals-Dataset-1.5.1	4) The Contract's Domain is Row. Why does that makes sense?
Formula to Filter By	
Contract: Row \rightarrow Boolean \leftarrow 4-5	
Purpose Statement What does the expression do to each row? 6	5) The Range - is Boolean. Why does that make sense?
Keep all rows that satisfy: e.g., Species = "cat" Apply Transformer Save Transformer	6) What Purpose Statement will you type into Box 6?

7) Enter Species = "dog" as the expression (Box 7). Select Apply Transformer. What happens? ______

8) Try typing species = "dog" as the expression (instead of Species = "dog"). What happens?

9) What are some other possible reasons you might get an error message for the expression? ______

10) Select "Save Transformer." Describe what happens. Why might it be useful to save a Transformer?

More Filtering (On Your Own)

11) Create, save, and apply a Transformer called filter-is-old that creates a new dataset with animals older than 5 years.

How many rows does the resulting table have? ______

How many datasets appeared in the drop-down menu for you to choose from?

12) Create, save, and apply a Transformer called filter-is-fixed that creates a new dataset with only fixed animals.

How many fixed animals are there at the shelter?

Writing Purpose Statements & Expressions

Follow your teachers' instructions for completing this page:

- First, write Purpose Statements that describe what the Transformer's expression does. For some scenarios, there are multiple correct responses.
- Then, write down what the Transformer's expression is, using information from your Purpose Statement.

Scenario 1

Original Table		Transformed Table			
	Name	Species		Name	Species
	Gila	lizard		Gila	lizard
	Во	dog			
	Nibblet	rabbit			

- Purpose Statement: Checks the row to see whether the ______ is a ______
- What is this Transformer's expression?

Scenario 2

Original Table		Transformed Table		
Name	Pounds	Name	Pounds	
Maple	51.6	Lucky	45.4	
Во	76.1			
Lucky	45.4			

- Purpose Statement:
- What is this Transformer's expression?

Scenario 3

Original Table		Transformed Table		
Name	Sex	Name	Sex	
Sasha	female	Sasha	female	
Felix	male	Sheba	female	
Sheba	female			

- Purpose Statement:
- What is this Transformer's expression?

Writing Examples from Purpose Statements

Read the provided Purpose Statement, then fill in the original table and the transformed table with examples from the <u>Animals Starter File</u> that reflect each transformation. Answers will vary.

1) Purpose Statement: Checks the row to see if the species is a dog.

Original Table		•	Transformed Table		
	Name		Name		

2) Purpose Statement: Checks the row to see if age is greater than 6 years.

Original Table		Transformed Table		
Name			Name	

3) Purpose Statement: Checks the row to see if age is less than or equal to 6 years.

Original Table		Transformed Table			
	Name			Name	

4) Purpose Statement: Checks the row to see if legs is not equal to four.

Original Table		Transformed Table		
Name			Name	

5) Purpose Statement: Checks the row to see if the animal's name is less than 5 letters long.

Original Table		Transformed Table		
	Name	Name		

Transform Attribute

Make sure you're logged into the <u>Animals Starter File</u> in CODAP. Select the Plugins icon, then choose Transformers.

Create, Apply, and Save a Transform Attribute Transformer (Step by Step)

Transformers —	1) Choose Transform Attribute from the drop-down menu.
Transformer ? S	true . In other words, it will <i>transform</i> our "age" column into a column that tells us if an
Transformer Name e.g., double-weight 2	animal is young or not. What is a good name for this Transformer?
Dataset to Transform Attribute Of Select a Dataset	
Attribute to Transform Select an attribute	3) Select the dataset you'd like to transform.
New Name for Transformed Attribute	4) What attribute will we be transforming?
Formula for Transformed Attribute Values	\bigstar Select the attribute. Notice that CODAP replaced the blank in the starred line of text (left) with the attribute name you selected!
Purpose Statement What does the expression do to each row?	5) What would be an appropriate name for our transformed attribute?
7	6) The Contract includes a Domain (row) only. What is the Range?
For each row, replace the value of attribute with the result of the expression:	*
e.g., Weight * 2	7) Let's write a Purpose Statement: Checks each to see
Apply Transformer	if
	8) What is the expression?

9) Apply, the Transformer, and then Save it.

More Transforming (On Your Own)

Create a Transformer called transform-pounds-kg. (Note: To convert pounds to kilograms, divide pounds by 2.205.)

10) How many kilograms is the heaviest animal in the shelter? Hint: If you want to see the animals listed in order by weight, select the attribute name and select "Sort Ascending."

Create a Transformer called transform-pounds-round that uses this expression: round (Pounds).

11) What do you think the round function does?

Create a Transformer called transform-Name+Species that transforms Name using this expression: concat(Name, Species). Let's call the Transformed Attribute Name+Species.

Write a Purpose Statement that describes what this expression does to each row.

Create a Transformer to change the number of weeks to adoption to instead show the number of days to adoption.

12) What is your Purpose Statement? _____

13) What expression will you use?

Build Attribute

Make sure you're logged into the Animals Starter File in CODAP. Select the Plugins icon, then choose Transformers.

Create, Apply, and Save a Build Attribute Transformer (Step by Step)

Transformers	1) Choose Build Attribute from the drop-down menu (Box 1).
Transformer ? Build Attribute 1 Transformer Name e.g., build-age-in-ten	2) At the shelter, animals are considered heavy when they weigh more than 40 pounds. Enter build-is-heavy as the Transformer Name (Box 2). What does this name tell you about the Transformer we are creating?
Dataset to Add Attribute to Select a Dataset Ame of New Attribute Collection to Add to Select a collection Formula for New Attribute Values	 3) Select the dataset you'd like to transform (Box 3). 4) Let's name our new attribute Heavy (Box 4). What happened to the starred text (left) when you named the attribute?
Contract: Row → Any → 6 Purpose Statement What does the expression do to each row? 7 For each row, construct the attribute with the result of the expression: e.g., Age + 10 8	 5) Ensure that the collection you are adding to is "cases" (Box 5). 6) A domain is provided (row), but not a range. What is the desired output for build-is-heavy?
Apply Transformer Save Transformer	7) Write a purpose statement (Box 7). What do we want the expression to do?

8) Enter Pounds > 40 as the expression (Box 8).

9) Apply the Transformer. To define the Transformer for future use, select Save.

More Building (On Your Own)

Create a Transformer called **build-updated-age**, which will give the animals' ages one year from today.

10) How many animals are 9 years-old one year from today?

Create a Transformer that builds a column with the number of letters in each animal's name.

11) What did you name your Transformer and the new attribute?

12) How many animals have exactly 8 letters in their names? (Feeling adventurous? Try using the Count Transformer here!)

Create a Transformer to build a column that returns **true** if the number of letters in an animal's name (the column you created in Question 11!) is less than or equal to five.

Note: Does your new attribute name have a space or a hyphen? If so, CODAP will produce an error when you apply your Transformer. Either change the name of the attribute or wrap your entire attribute name inside tick marks () when you type in your expression. (The tick mark key is in the upper left-hand corner of your keyboard.)

13) What expression will you use?

14) Which dataset will you need to apply this Transformer to? Why? ______

Create Transformer Cards

The table $t\ \text{below}\ \text{represents}\ \text{three}\ \text{animals}\ \text{from}\ \text{the}\ \text{shelter:}$

name	sex	age	fixed	pounds
"Toggle"	"female"	3	true	48
"Fritz"	"male"	4	true	92
"Nori"	"female"	6	true	35.3

Create a Transformer card that responds to the given prompt on the left. When you're done, give the Transformer a useful name. We've done the first one to get you started.

	Prompt	Transformer Card	Name & Purpose Statement
1	Create a Transformer that produces a Table containing all animals younger than 5.	Type: filter [filter/build/transform] Dataset: t Expression: age<5	filter-if-young Checks the row to see whether age is less than 5.
2	Create a Transformer that produces a Table showing all fixed animals.	Type:[filter/build/transform] Dataset:Expression:	
3	Create a Transformer that produces a Table with a new column ("age next year") that adds 1 year to each age.	Type:	
4	Create a Transformer that produces a Table that transforms pounds to kilos (divide by 2.205) but does not add a new column.	Type:	
5	Create a Transformer that produces a Table that doubles pounds but does not add a new column.	Type:	

Matching Composed Transformers

The table $\,t\,$ below represents four animals from the shelter:

name	sex	age	fixed	pounds
"Toggle"	"female"	3	true	48
"Fritz"	"male"	4	true	92
"Nori"	"female"	6	true	35.3
"Maple"	"female"	3	true	51.6

Match each Circle of Evaluation (left) to the description of what it does (right).

transform-age t	1	A	Produces a table containing only Toggle and Maple
t	2	В	Produces a table with only Maple
t	3	С	Produces a table that no longer has an "age" column
filter-if-young t	4	D	Produces a table with an extra column, named "elderly"
filter-if-heavy filter-if-young t	5	E	Produces an empty table
filter-if-young filter-if-heavy t	6	F	Produces a table containing the same four animals
filter-if-elderly build-elderly t	7	G	Won't run: will produce an error (if so, why?)
build-elderly filter-if-elderly t	8	н	Produces a table with only Nori

Planning Transformer Composition

The table t below represents four animals from the shelter:

name	sex	age	fixed	pounds
"Toggle"	"female"	3	true	48
"Fritz"	"male"	4	true	92
"Nori"	"female"	6	true	35.3
"Sasha"	"female"	1	false	6.5

You have several Transformers already defined:

filter-if-young	filter-if-female	filter-if-heavy	build-kilos	transform-kilos
filters out animals	filters out animals that	filters out animals whose	builds a new column that	transforms kilos to
younger than 4	arefemale	weight is greater than 20 kilos	converts pounds to kilos	grams

For each prompt on the left, draw the Circle of Evaluation that will produce the desired table or display.

	Prompt	Circle of Evaluation
	Produce a Table containing all young, fixed animals	
	Produce a Table showing all animals that weigh more than 20 kilograms	
;	Produce a Table showing all female animals that weigh more than 20 kilograms	
1	Produce a Table that provides all animals' weights in grams	
	Produce a Table for all female animals, which includes their weight in grams	

Transformer Cards to Cut Out

Provide the information needed to define each Transformer. Refer to the table of animals on <u>Create Transformer Cards</u> as needed.

transform-age produces a table that transforms age to age-last-year	filter-if-fixed produces a table with only fixed animals
Type: Dataset:	Type:Dataset:Expression:
Attribute to Transform:	
Name of New Attribute: Expression:	
filter-if-heavy produces a table with animals that weigh more than 50 pounds	filter-if-young produces a table with only animals that are younger than 5
Type:Dataset:Expression:	Type: Dataset: Expression:
build-elderly produces a table with an extra column named elderly that indicates if an animal is older than 5	filter-if-elderly produces a table that only animals where elderly = true
Type:Dataset:	Type: Dataset: Expression:
Name of New Attribute: Expression:	
transform-weight-loss produces a table where pounds becomes lighter-weight, which indicates weight after losing 5	filter-if-lightest produces a table with only animals' whose lighter-weight is below 30 pounds.
pounds	Type: Dataset: Expression:
Type:Dataset:	
Attribute to Transform:	
Name of New Attribute: Expression:	

Grouped Samples from the Animals Dataset

started. You've already created and saved the following transformers: filter-is-old, filter-is-young, filter-is-cat, filter-is-dog, filter-is-female, filter-is-fixed, and filter-has-s-name. Provide the transformers you would use in the order you would use them. We've given you the solution for the first sample, to get you

9 Fixed F		8 Fixed Kittens	7 Old Fe	6 Fixed <i>i</i>	5 Old Dogs	4 Cats w	3 Fixed Cats	2 Puppies	1 Kittens	Subset
	Fixed Female Dogs	(ittens	Old Female Cats	Fixed Animals	SBC	Cats with "s" in their name	Cats	35	u	
									filter-is-young,filter-is-cat	List the transformers in order
									filter-is-young(filter-is-cat(animals-table))	Use function notation

Visualizing Data

Fill in the tables below, then use CODAP to make the following visualizations. The first table has been filled in for you.

1) A bar-chart showing how many puppies (young dogs) are fixed or not.

What Rows?	What Rows? Which Column(s)?	
puppies	fixed	bar-chart

2) A box-plot showing how many heavy dogs are fixed or not.

What Rows?	Which Column(s)?	What will you Create?

3) A dot-plot of the number of weeks it takes for a random sample of animals to be adopted.

What Rows?	Which Column(s)?	What will you Create?

4) A box-plot of the number of pounds that kittens (young cats) weigh.

What Rows?	Which Column(s)?	What will you Create?

5) A scatter-plot of a 35 random animals using species as the labels, age as the x-axis, and weeks as the y-axis.

What Rows?	Which Column(s)?	What will you Create?

6) Describe your own grouped sample here, and fill in the table below.

What Rows?	Which Column(s)?	What will you Create?

Data Cycle: Analyzing Categorical Data

Use the <u>Animals Starter File</u> to analyze categorical data with the data cycle.

Ask Questions	How many of each species are fixed at the shelter? What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	
Analyze Data	If you only need some rows, write an expression for your Filter Transformer here.	
	What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	
Interpret Data	What did you find out? What can you infer?	
	What - if any - new question(s) does this raise?	
Ask Questions	Are there more female cats than male cats at the shelter? What question do you have?	Question Type (circle one): Lookup Arithmetic Statistical
Ask Questions	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.)	(circle one): Lookup Arithmetic
?		(circle one): Lookup Arithmetic
?	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.)	(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.)	(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.) If you only need some rows, write an expression for your Filter Transformer here.	(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.) If you only need some rows, write an expression for your Filter Transformer here. If you need to Transform or Build an attribute, write the expression for your Transformer here.	(circle one): Lookup Arithmetic
Consider Data	Which Rows should we investigate? (All the rows, just the cats, fixed dogs, etc.) What Column(s) do we need? (age, weight-in-kilograms, weeks, etc.) If you only need some rows, write an expression for your Filter Transformer here. If you need to Transform or Build an attribute, write the expression for your Transformer here. What display, measure, or table do you want to create (i.e., median, bar chart, scatterplot, etc.)?	(circle one): Lookup Arithmetic

Threats to Validity in a Nutshell

Threats to Validity can undermine a conclusion, even if the analysis was done correctly.

People Make Mistakes

Sometimes even well-meaning Data Scientists can make mistakes if they're not careful. Data Scientists need to be careful to avoid the four threats below.

- Selection bias identifying the favorite food of the rabbits won't tell us anything reliable about what all the animals eat.
- **Study bias** If someone is supposed to assess how much cat food is eaten each day on average, but they only measure how much cat food is put in the bowls (instead of how much is actually consumed), they'll end up with an over-estimate.
- **Poor choice of summary** Suppose a different shelter that had 10 animals recorded adoption times (in weeks) as 1, 1, 1, 7, 7, 8, 8, 9, 9, 10. Using the mode (1) to report what's typical would make it seem like the animals were adopted more quickly than they really were, since 7 out of 10 animals took at least 7 weeks to be adopted.
- **Confounding variables** Some shelter workers might prefer cats, and steer people towards cats as a result. This would make it appear that "cats are more popular with people", when the real variable dominating the sample is what *workers at the shelter* prefer.

Fake News

But sometimes, it's not an accident: **some people deliberately misuse statistics to create "Fake News" and manipulate others!** An evil Data Scientist might make the four mistakes above *on purpose!* Here are some other slimy ways to make an analysis invalid:

- Using the Wrong Measure of Center With heavily-skewed data (like income in America), using the mean is deeply misleading.
- Using a Correlation to Imply Causation Just because two variables are correlated doesn't mean one is *causing* the other!
- Incorrect Interpretation of a Visualization Someone might point to the tallest bar in a bar chart or histogram and say "See? Most of the people surveyed said...", even if the tallest bar represents only a small percentage of the people surveyed!
- Intentionally Using the Wrong Chart Surveying pet-owners at a dog park to ask about their favorite animal is obviously misleading. A Bar Chart will show empty space for the "Cat" category, which would be a huge red-flag that the survey used a biased sample. But using a Pie Chart will hide the problem, because there's no such thing as an "empty pie slice"!
- Changing the Scale of a Chart A change in poverty from 10.1% to 10.3% is really small, but if the y-axis of the graph goes from 10 to 10.5 it will look like a HUGE climb! The same trick can be played with bar charts, histograms, or box-plots, to exaggerate small differences or hide large ones.

Outliers: Do they stay or do they go?

In any population, there are often one or two samples that are way outside the range of the group. These outliers can really change the results of your analysis, by altering up the average or skewing the shape of the data.

- It can be tempting to remove outliers, and *sometimes* there's a good reason to do it! You might spot an obvious typo, or an answer that you can tell was written by accident.
- But *some* outliers are completely valid, and very important! A small town that has a 30x higher rate of cancer than everywhere else might point to something really important!

As Data Scientists, outliers require us to investigate more closely. And whether we decide to keep or remove them, we should *always* explain our reasoning.

Identifying Threats to Validity

Some volunteers from the animal shelter surveyed a group of pet owners at a local dog park. They found that almost all of the owners were there with their dogs. From this survey, they concluded that dogs are the most popular pet in the state.

1) What are some possible threats to the validity of this conclusion?

The animal shelter noticed a large increase in pet adoptions between Christmas and Valentine's Day. They conclude that at the current rate, there will be a huge demand for pets this spring.

2) What are some possible threats to the validity of this conclusion?

Identifying Threats to Validity (2)

The animal shelter wanted to find out what kind of food to buy for their animals. They took a random sample of two animals and the food they eat, and they found that 100% of animals surveyed ate spider food!


1) Explain why sampling just two animals can result in unreliable conclusions about what kind of food is needed.

A volunteer opens the shelter in the morning and walks all the dogs. At mid-day, another volunteer feeds all the dogs and walks them again. In the evening, a third volunteer walks the dogs a final time and closes the shelter. The volunteers report that the dogs are much friendlier and more active at mid-day, so the shelter staff assume the second volunteer must be better with animals than the others.

2) What are some possible threats to the validity of this conclusion?


Fake News

The unrelated claims below are ALL WRONG! Your job is to figure out why by looking at the data.



Outliers: Should they Stay or Should they Go?

Tahli and Fernando are looking at a scatter plot showing the relationship between poverty and test scores at schools in Michigan. They find a trend, with low-poverty schools generally having higher test scores than high-poverty schools. However, one school is an extreme outlier: the highest poverty school in the state also has higher test scores than most of the other schools!




Tahli thinks the outlier should be removed before they start analyzing, and Fernando thinks it should stay. Here are their reasons:

Tahli's Reasons:	Fernando's Reasons:
This outlier is so far from every other school - it <i>has</i> to be a mistake. Maybe someone entered the poverty level or the test scores incorrectly! We don't want those errors to influence our analysis. Or maybe it's a magnet, exam or private school that gets all the top- performing students. It's not right to compare that to non-magnet schools.	Maybe it's not a mistake or a special school! Maybe the school has an amazing new strategy that's different from other schools! Instead of removing an inconvenient data point from the analysis, we should be focusing our analysis on what is happening there.

Do you think this outlier should stay or go? Why? What additional information might help you make your decision?

Data Fallacies to Avoid




Cherry Picking

Selecting results that fit your claim and excluding those that don't.



Data Dredging

Repeatedly testing new hypotheses against the same set of data, failing to acknowledge that most correlations will be the result of chance.




False Causality

Falsely assuming when two events appear


related that one must have caused the other.

PIRATE



Survivorship Bias

Drawing conclusions from an incomplete set of data, because that data has 'survived' some selection criteria.





Gerrymandering



Cobra Effect

Setting an incentive that accidentally produces the opposite result to the one intended. Also known as a Perverse Incentive.

Sampling Bias

Drawing conclusions from a set of data that isn't representative of the population you're trying to understand.



Gambler's Fallacy


Mistakenly believing that because something has happened more frequently than usual, it's now less likely to happen in future (and vice versa).

APPLICATION SUCCESS RATE				
		MALE	FEMALE	
	SVBJECT I	4 °/。 (اله8 مع ا200)	5 % (270 ~ 1800)	
	SUBJECT 2	50 % (400 # 800)	51 % (102 of 200)	
	TOTAL	28 % (568 of 2000)	9 % (372 of 2000)	22

Simpson's Paradox


When a trend appears in different subsets of data but disappears or reverses when the groups are combined.

Manipulating the geographical boundaries used to group data in order to change the result.



Hawthorne Effect

The act of monitoring someone can affect their behaviour, leading to spurious findings. Also known as the Observer Effect.




McNamara Fallacy

Relying solely on metrics in complex situations and losing sight of the bigger picture.

TOP COMPANIES 2017 2027 APPLE n m APPLE

Regression Towards the Mean

When something happens that's unusually good or bad, it will revert back towards the average over time.







Overfitting

Creating a model that's overly tailored to the data you have and not representative of the general trend.

Publication Bias

Interesting research findings are more likely to be published, distorting our impression of reality.





Danger of Summary Metrics

Only looking at summary metrics and missing big differences in the raw data.

> **Read more at** geckoboard.com/data-fallacies



Selection Bias or Biased Study?

The school newspaper ran an article stating that chicken was more popular than pork in the East Village. **Kendell thinks the study was biased.**

Would you rather eat pork or delicious crispy fried chicken? That's such a leading question! It encouraged people to pick chicken. I bet the results would have been different if they had asked about crispy bacon!


Carson thinks the study suffered from selection bias.

One of the survey sites was outside of a mosque?! Muslims don't even eat pork!

Who's right? How do you know?

Fake News (2)

There are three separate, unrelated claims below, and ALL OF THEM ARE WRONG! Your job is to figure out why by looking at the data.



Identifying Threats to Validity (3)

Data scientists want to know if listening to music or podcasts reduces symptoms of stress in individuals.

- They conducted a study of 1,000 people who were brought into a laboratory office for testing.
- While wearing a heart-rate monitor, participants were asked to listen to either music or a podcast of their choosing while completing a series of complicated puzzles.
- The data scientists discovered that on average, participants who listened to music had a 5% lower heart rate while completing the tasks than those who listened to podcasts.

Before publishing their findings, the data scientists have asked you to review their claim. In the space below, indicate possible **threats to validity** faced by this study.

Threats to Validity Rubric

	□ Wow!	Getting There	Needs Improvement
Selection bias	The research plan lays out clearly and specifically how information will be gathered from a non- representative sample of the population.	The research plan lays out how information will be gathered from a non-representative sample of the population, but is lacking in detail and specificity.	The research plan does not address how information will be gathered from a non-representative sample of the population.
Bias in the study design	The study is clearly biased, with "loaded" questions that lead to misrepresentation of true opinions.	The study includes some bias, but it is unclear how the plan will lead to misrepresentation of true opinions.	The study design does not include bias.
Poor choice of summary data	The research plan includes extreme outliers that will shift the results of the analysis in ways that do not represent the population as a whole.	The research plan includes some outliers, but they are perhaps not adequately extreme to shift the results and misrepresent the population.	The research plan does not include extreme outliers.
Confounding variables	The study overlooks factors that clearly influence a relationship, leading to invalid claims.	The study overlooks factors that might influence a relationship, perhaps leading to invalid claims.	The study does not include any confounding variables.
Discuss Conclusions	The concluding discussion clearly articulates how all of the threats to validity cause problems to the study's conclusions.	The concluding discussion only articulates how some of the threats caused problems or is lacking in detail and evidence / analysis.	The concluding discussion is lacking in detail and evidence. Understanding of how threats to validity influence a study is not demonstrated.
Good Data Scientists would	Clear explanations are provided of what changes could be made to minimize the threats.	Some explanation is provided of what changes could be made to minimize threats, but more details are needed.	Understanding of how to revise the study to minimize threats is not demonstrated.

Our Research Plan

With your partner, respond to the prompts below. Note: You can consider this page a rough draft of the final project that you will eventually produce.
1) Our statistical question:
2) Our research plan in brief:
3) How we will incorporate selection bias :
4) How we will incorporate bias in the study design :
5) How we will incorporate poor choice of summary data :
6) How we will incorporate confounding variables :

Major Threats to Validitiy

- Selection Bias Data was gathered from a biased sample of the population. This is the problem with surveying cat owners to find out which animal is most loved!
- Bias in the Study Design Data was gathered using a "loaded" question like "Since annual vet care comes to about \$300 for dogs and only about half of that for cats, would you say that owning a cat is less of a burden than owning a dog?" This could easily lead to a misrepresentation of people's true opinions.
- **Poor Choice of Summary Data** Even if the selection is unbiased, sometimes outliers are so extreme that they make the mean completely useless at best and misleading at worst.
- **Confounding Variables** A study might find that cat owners are more likely to use public transportation than dog owners. But it's not that owning a cat means you drive less: people who live in big cities are more likely to use public transportation, and also more likely to own cats. More examples of confounding variables can be found in the correlations lesson: Correlation Does Not Imply Causation!.

Analysis of Research Plan Predicted Outcomes

Respond to the prompts below with your partner.
1) How will the validity of your conclusions be impacted by Selection Bias ?
2) What would a good data scientist change to minimize Selection Bias?
3) How will the validity of your conclusions be impacted by Bias in the Study Design ?
4) What would a good data scientist change to minimize Bias in the Study Design ?
5) How will the validity of your conclusions be impacted by Poor Choice of Summary Data ?
6) What would a good data scientist change to minimize Poor Choice of Summary Data ?
7) How will the validity of your conclusions be impacted by Confounding Variables ?
8) What would a good data scientist change to minimize Confounding Variables ?

Rubric: Research Project 1

About this Dataset

□ Wow!	Getting There	Needs Improvement
I explained why this dataset is interesting to me, others like me, and why others should care about this data. I considered why the dataset was collected, and what purpose it might serve. I correctly identified all the rows, columns, and types in my dataset.	I explained why this dataset was interesting to me and at least one other person/group, and shared <i>something</i> about where it came from. I correctly identified most of the rows, columns, and types in my dataset.	I explained why this dataset was interesting to me, and shared <i>something</i> about where it came from. I correctly identified some rows, columns, and types in my dataset.

My Questions

□ Wow!	Getting There	Needs Improvement
I had lots of questions by the end of the exploration, and I chose at least two that I thought were most interesting. I explained why I thought they were interesting, and wrote about grouped samples that might be good to explore when answering those questions.	I had a few questions by the end of the exploration, and I chose at least one that was interesting. I wrote about grouped samples that might be good to explore.	l picked a question, and wrote about grouped samples.

Analysis: Quantity, Variety, and Connectedness of Visualizations

□ Wow!	Getting There	Needs Improvement
I used a variety of categorical and quantitative visualizations, including at least 10 different visualizations in my project. I gave each display a descriptive title. I specified how the display changed my thinking and influenced the next display that I chose to make.	Throughout my project, I used a limited assortment of visualizations. I included at least 8 different visualizations in my project. Most of my visualizations were descriptively titled. I attempted to describe how the display changed my thinking and influenced the next display that I made - but my descriptions were unclear.	I included 4 or fewer visualizations in my project. The visualizations did not include titles, or the titles were not descriptive. I did not adequately describe how each display changed my thinking.

Discussion: Threats to Validity, Ethical Implications, Questions for Future Study

□ Wow!	Getting There	Needs Improvement
I explained my findings clearly and in detail. I also wrote about possible threats to validity, considering all of the different threats we learned about in the context of diversity, bias, power, and discrimination. I explained why (or why not) the results were enough to make a strong claim. I thought about the ethical implications of collecting this data, or how my research might be used in good or bad ways. I wrote about how I would continue this research, with more data and/or more questions.	I explained my findings, and wrote about some threats to validity and ethical questions. I considered some issues regarding diversity, bias, power and discrimination - but not all of them. I wrote about possible ways to continue the research.	I talked about my findings, but only discussed some threats to validity, ethics, or possible future research. Other parts were missing.

Additional Teacher Feedback

Rubric: Research Project 2

Students :- In the left hand column, record the title of each display you made. Write titles in the order in which they appear in your slide deck. If you need additional copies of this page, ask your teacher.

Analysis :

□ Wow!	Getting There	Needs Improvement
I interpreted the display accurately and	I interpreted the display accurately. I	My interpretation of the display is
thoughtfully. I explained how the display	attempted to connect the display to my	inaccurate. It was unclear how the display
helps me answer the question I chose to	research question, but that connection was	connected to or answered my research
study.	sometimes unclear.	question.

Display	Rating	Teacher Feedback
	 Wow Getting There Needs Improvement 	
	 Wow Getting There Needs Improvement 	
	□ Wow □ Getting There □ Needs Improvement	
	 Wow Getting There Needs Improvement 	
	□ Wow □ Getting There □ Needs Improvement	
	 Wow Getting There Needs Improvement 	
	□ Wow □ Getting There □ Needs Improvement	
	□ Wow □ Getting There □ Needs Improvement	
	□ Wow □ Getting There □ Needs Improvement	

Design Recipe

Directions:				
Transformer (check one)	Filter	Transform	Build	
		Tran	ormer name	
Example Tables				
What gets filtered/transformed	/built? In the sa	ample tables below, (i	needed) add the relevant columns.	
Ori	ginal Table		Transformed Table	
Contents (Contract, Purpose	Statement, an	d Expression)		
	Row			
	Domain		->Range	
		Purpose: what does t	e formula do for each row?	
	ie Weight < 20 c	or Species = "rabbit" Pay ca	ful attention to capitalization and quotation marks.	
	i.e. Weight \$ 200		iul attention to capitalization and quotation marks.	
Directions:	-1.			
Transformer (check one)	Filter	Transform	Build	
		T		
Example Tables		Trans	ormer name	
	/built? In the sa	ample tables below, (i	needed) add the relevant columns.	
Ori	ginal Table		Transformed Table	
Contents (Contract, Purpose	Statement an	d Everacion)		
Contents (Contract, Purpose		u Expression)		
	Row Domain		->Range	
		Purpose: what does t	e formula do for each row?	

i.e. Weight < 20 or Species = "rabbit". Pay careful attention to capitalization and quotation marks.

Design Recipe

Directions:						
Transformer (check one)	Filter	Transform	Build			
		Tran	sformer name			
Example Tables						
What gets filtered/transformed	l/built? In the s	ample tables below, (i	f needed) add	the relevant col	umns.	
Or	ginal Table				Transformed Table	
Contents (Contract, Purpose	Statement. ar	d Expression)				
	Row Domain			>	Range	
		Purpose: what does	the formula do fo	or each row?		
	i.e. Weight < 20	or Species = "rabbit". Pay ca	reful attention to o	capitalization and qu	uotation marks.	
Directions:						
Torrestown of the shares)	1 214	Turnetown	D114			
Transformer (check one)	Filter	Transform	Build			
		Tuon				
Example Tables		11 di 1	sformer name			
What gets filtered/transformed	l/built? In the s	ample tables below, (i	f needed) add	the relevant col	umns.	
Or	ginal Table				Transformed Table	
	_					
	~ · · ·					
Contents (Contract, Purpose	Statement, ar	a Expression)				
	Row			>	D	
	Domain				Range	
		Purpose: what does	the formula do fo	or each row?		

Design Recipe

Directions:				
Transformer (check one)	Filter	Transform	Build	
Example Tables		Iran	sformer name	
	l/built? In the s	ample tables below, (i	f needed) add the relevant columns.	
Or	iginal Table		Transformed Table	
Contents (Contract, Purpose	Statement, ar	nd Expression)		
	Row		->	
	Domain		Range	
		Purpose: what does	the formula do for each row?	
		Turpose. What does		
	i.e. Weight < 20	or Species = "rabbit". Pay ca	reful attention to capitalization and quotation marks.	
Directions:				
T	- 14	T	D.11	
Transformer (check one)	Filter	Transform	Build	
		Tran	sformer name	
Example Tables		i di		
What gets filtered/transformed	d/built? In the s	ample tables below, (i	f needed) add the relevant columns.	
Or	iginal Table		Transformed Table	
Contents (Contract, Purpose	Statement, ar	nd Expression)		
Contents (Contract, Purpose		nd Expression)		
Contents (Contract, Purpose	Statement, ar <i>Row</i> Domain	nd Expression)	->	
Contents (Contract, Purpose	Row			

i.e. Weight < 20 or Species = "rabbit". Pay careful attention to capitalization and quotation marks.

The Animals Dataset

This is a printed version of the animals spreadsheet.

The numbers on the left side are NOT part of the table! They are provided to help you identify the index of each row.

	name	species	sex	age	fixed	legs	pounds	weeks
0	Sasha	cat	female	1	false	4	6.5	3
1	Snuffles	rabbit	female	3	true	4	3.5	8
2	Mittens	cat	female	2	true	4	7.4	1
3	Sunflower	cat	female	5	true	4	8.1	6
4	Felix	cat	male	16	true	4	9.2	5
5	Sheba	cat	female	7	true	4	8.4	6
6	Billie	snail	hermaphrodite	0.5	false	0	0.1	3
7	Snowcone	cat	female	2	true	4	6.5	5
8	Wade	cat	male	1	false	4	3.2	1
9	Hercules	cat	male	3	false	4	13.4	2
10	Toggle	dog	female	3	true	4	48	1
11	Boo-boo	dog	male	11	true	4	123	24
12	Fritz	dog	male	4	true	4	92	3
13	Midnight	dog	female	5	false	4	112	4
14	Rex	dog	male	1	false	4	28.9	9
15	Gir	dog	male	8	false	4	88	5
16	Max	dog	male	3	false	4	52.8	8
17	Nori	dog	female	3	true	4	35.3	1
18	Mr. Peanutbutter	dog	male	10	false	4	161	6
19	Lucky	dog	male	3	true	3	45.4	9
20	Kujo	dog	male	8	false	4	172	30
21	Buddy	lizard	male	2	false	4	0.3	3
22	Gila	lizard	female	3	true	4	1.2	4
23	Во	dog	male	8	true	4	76.1	10
24	Nibblet	rabbit	male	6	false	4	4.3	2
25	Snuggles	tarantula	female	2	false	8	0.1	1
26	Daisy	dog	female	5	true	4	68	8
27	Ada	dog	female	2	true	4	32	3
28	Miaulis	cat	male	7	false	4	8.8	4
29	Heathcliff	cat	male	1	true	4	2.1	2
30	Tinkles	cat	female	1	true	4	1.7	3
31	Maple	dog	female	3	true	4	51.6	4

Sentence Starters

Use these sentence starters to help describe patterns, make predictions, find comparisons, share discoveries, formulate hypotheses, and ask questions.

Patterns:

• I noticed a pattern when I looked at the da	ata. The pattern is		
• I see a pattern in the data collected so far.	My graph shows		
Predictions:			
• Based on the patterns I see in the data col	lected so far, I predict tha	t	
My prediction for	_is		
Comparisons:			
When I compared	_and	, I noticed that	
The similarities I see between	and	are	
The differences I see between	and	are	
Surprises and Discoveries:			
I discovered that			
I was surprised by			
I noticed something unusual about			
Hypotheses:			
• A possible explanation for what the data s	howed is		
• A factor that affected this data might have	e been		
I think this data was affected by			
Questions:			
I wonder why			
I wonder how			
How are			
How will		change if	

Contracts for Data Literacy Codap

Contracts tell us how to use a function, by telling us three important things:

- 1. The Name
- 2. The **Domain** of the function what kinds of inputs do we need to give the function, and how many?
- 3. The Range of the function what kind of output will the function give us back?

For example: The contract triangle :: (Number, String, String) -> Image tells us that the name of the function is triangle, it needs three inputs (a Number and two Strings), and it produces an Image. With these three pieces of information, we know that typing triangle(20, "solid", "green") will evaluate to an Image.

Name		Domain		Range				
# bar-chart	::	(<u>Table</u> , <u>String</u>)	->	Image				
<pre>bar-chart(animals-table, "speci</pre>	es")							
<pre># bar-chart-summarized</pre>		(<u>Table</u> , <u>String</u> , <u>String</u>) table-name labels values	->	Image				
<pre>bar-chart-summarized(count(anim</pre>	nals–	table, "species"), "value","count")						
# box-plot	::	(<u>Table</u> , <u>String</u>)	->	Image				
<pre>box-plot(animals-table, "weeks"</pre>)							
<pre># box-plot-scaled</pre>		(<u>Table</u> , <u>String</u> , <u>Number</u> , <u>Number</u>) table-name	->	Image				
<pre>box-plot-scaled(animals-table, "weeks", 1, 40)</pre>								
# histogram	::	(<u>Table</u> , <u>String</u> , <u>String</u> , <u>Number</u>) table-name labels values	->	Image				
histogram(animals-table, "speci	es",	"weeks", 2)						
# line-graph	::	(<u>Table</u> , <u>String</u> , <u>String</u> , <u>String</u>) table-name Jabels xs ys	->	Image				
line-graph(animals-table, "name", "pounds", "weeks")								
# lr-plot	::	(<u>Table</u> , <u>String</u> , <u>String</u> , <u>String</u>) table-name labels xs ys	->	Image				
<pre>lr-plot(animals-table, "name", "pounds", "weeks")</pre>								
# mean	::	(<u>Table</u> , <u>String</u>)	->	Number				
mean(animals-table, "pounds")								
# median	::	(<u>Table</u> , <u>String</u>)	->	Number				
<pre>median(animals-table, "pounds")</pre>								
# modes	::	(<u>Table</u> , <u>String</u>)	->	List				
<pre>modes(animals-table, "pounds")</pre>								
<pre># modified-box-plot</pre>		(<u>Table</u> , <u>String</u>)	->	Image				
<pre>modified-box-plot(animals-table</pre>	e, "p	ounds")						
<pre># modified-box-plot-scaled</pre>	::	(<u>Table</u> , <u>String</u> , <u>Number</u> , <u>Number</u>)	->	Image				
<pre>modified-box-plot-scaled(animal</pre>	s-ta	ble, "weeks", 1, 40)						

Name		Domain		Range			
<pre># modified-vert-box-plot</pre>	::	(<u>Table</u> , <u>String</u>)	->	Image			
<pre>modified-vert-box-plot(animals-table, "pounds")</pre>							
<pre># modified-vert-box-plot-scaled</pre>		(<u>Table</u> , <u>String</u> , <u>Number</u> , <u>Number</u>)	->	Image			
<pre>modified-vert-box-plot-scaled(ar</pre>	nima	ls-table, "weeks", 1, 40)					
# pie-chart	•••	(<u>Table</u> , <u>String</u>)	->	Image			
<pre>pie-chart(animals-table, "specie</pre>	es")						
<pre># pie-chart-summarized</pre>	::	(<u>Table</u> , <u>String</u> , <u>String</u>)	->	Image			
<pre>pie-chart-summarized(count(anima</pre>	als-	table, "species"), "value", "count")					
# r-value	::	(<u>Table</u> , <u>String</u> , <u>String</u>)	->	Number			
r-value(animals-table, "pounds",	we	eks")					
<pre># random-rows</pre>	•••	(<u>Table</u> , <u>Number</u>)	->	Table			
random-rows(animals-table, 10) #		lect 10 random rows from the table					
<pre># scatter-plot</pre>	::	(<u>Table</u> , <u>String</u> , <u>String</u> , <u>String</u>)	->	Image			
<pre>scatter-plot(animals-table, "nam</pre>							
# stdev	::	(<u>Table</u> , <u>String</u>)	->	Number			
<pre>stdev(animals-table, "pounds")</pre>							
<pre># vert-box-plot</pre>		(<u>Table</u> , <u>String</u>)	->	Image			
<pre>vert-box-plot(animals-table, "we</pre>	eeks						
:		->	_				
::		->	_				
			_				
::		->					
			_				
:		->					
			_				
::		->					
			_				
:		->					
		->	_				
:							
		->	_				
••							

These materials were developed partly through support of the National Science Foundation (awards 1042210, 1535276, 1648684, and 1738598) and are licensed under a Creative Commons 4.0 Unported License. Based on a work at www.BootstrapWorld.org. Permissions beyond the scope of this license may be available by contacting contact@BootstrapWorld.org.